

Data Sheet January 2000 File Number 3145.3

100A, 1200V Hyperfast Diode

The RHRU100120 is a hyperfast diode with soft recovery characteristics (t_{rr} < 90ns). It has half the recovery time of ultrafast diodes and is of silicon nitride passivated ion-implanted epitaxial planar construction.

This device is intended for use as a freewheeling/clamping diode and rectifier in a variety of switching power supplies and other power switching applications. Its low stored charge and hyperfast soft recovery minimize ringing and electrical noise in many power switching circuits reducing power loss in the switching transistors.

Formerly developmental type TA49070.

Ordering Information

PART NUMBER	PACKAGE	BRAND
RHRU100120	TO-218	RHR100120

NOTE: When ordering, use the entire part number.

Symbol



Features

Hyperfast with Soft Recovery	
Operating Temperature	.175°C
Reverse Voltage	.1200V


- Avalanche Energy Rated
- Planar Construction

Applications

- Switching Power Supplies
- Power Switching Circuits
- General Purpose

Packaging

JEDEC STYLE TO-218



Absolute Maximum Ratings T_C = 25°C, Unless Otherwise Specified

	RHRU100120	UNITS
Peak Repetitive Reverse VoltageVRRM	1200	V
Working Peak Reverse Voltage	1200	V
DC Blocking Voltage	1200	V
Average Rectified Forward Current	100	Α
$(T_C = 62.5^{\circ}C)$		
Repetitive Peak Surge CurrentI _{FRM}	200	Α
(Square Wave, 20kHz) Nonrepetitive Peak Surge Current		
Nonrepetitive Peak Surge CurrentIFSM	1000	Α
(Halfwave, 1 Phase, 60Hz)		
Maximum Power Dissipation	300	W
Avalanche Energy (See Figures 7 and 8)	50	mJ
Operating and Storage Temperature	-65 to 175	°C.



RHRU100120

$\textbf{Electrical Specifications} \hspace{0.5cm} \textbf{T}_{C} = 25^{o}\text{C}, \hspace{0.1cm} \textbf{Unless Otherwise Specified}$

SYMBOL	TEST CONDITION	MIN	TYP	MAX	UNITS
V _F	I _F = 100A	-	-	3.2	V
	$I_F = 100A, T_C = 150^{\circ}C$	-	-	2.6	V
I _R	V _R = 1200V	-	-	250	μΑ
	$V_R = 1200V, T_C = 150^{\circ}C$	-	-	2	mA
t _{rr}	I _F = 1A, dI _F /dt = 100A/μs	-	-	90	ns
	$I_F = 100A$, $dI_F/dt = 100A/\mu s$	-	-	100	ns
t _a	I _F = 100A, dI _F /dt = 100A/μs	-	60	-	ns
t _b	$I_F = 100A$, $dI_F/dt = 100A/\mu s$	-	25	-	ns
$R_{ heta JC}$		-	-	0.5	°C/W

DEFINITIONS

 V_F = Instantaneous forward voltage (pw = 300 μ s, D = 2%).

 I_R = Instantaneous reverse current.

 t_{rr} = Reverse recovery time (See Figure 6), summation of t_a + t_b .

t_a = Time to reach peak reverse current (See Figure 6).

 t_b = Time from peak I_{RM} to projected zero crossing of I_{RM} based on a straight line from peak I_{RM} through 25% of I_{RM} (See Figure 6).

 $R_{\theta JC}$ = Thermal resistance junction to case.

pw = pulse width.

D = duty cycle.

Typical Performance Curves




FIGURE 1. FORWARD CURRENT vs FORWARD VOLTAGE




FIGURE 2. REVERSE CURRENT vs REVERSE VOLTAGE

.

Typical Performance Curves (Continued)




FIGURE 3. t_{rr}, t_a AND t_b CURVES vs FORWARD CURRENT




FIGURE 4. CURRENT DERATING CURVE

Test Circuits and Waveforms




FIGURE 5. t_{rr} TEST CIRCUIT




FIGURE 6. t_{rr} WAVEFORMS AND DEFINITIONS




FIGURE 7. AVALANCHE ENERGY TEST CIRCUIT




FIGURE 8. AVALANCHE CURRENT AND VOLTAGE WAVEFORMS

All Intersil semiconductor products are manufactured, assembled and tested under ISO9000 quality systems certification.

Intersil semiconductor products are sold by description only. Intersil Corporation reserves the right to make changes in circuit design and/or specifications at any time without notice. Accordingly, the reader is cautioned to verify that data sheets are current before placing orders. Information furnished by Intersil is believed to be accurate and reliable. However, no responsibility is assumed by Intersil or its subsidiaries for its use; nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Intersil or its subsidiaries.

For information regarding Intersil Corporation and its products, see web site www.intersil.com