

8524 Hook-up/Lead - (Type MW) MIL-W-76C-PVC

		<p>For more information please call 1-800-Belden1</p> <p><u>See Put-ups and Colors</u></p>
---	--	---

Description:

Tinned copper, PVC insulation, medium wall. The extruded PVC insulation is flame and ozone resistant. Inert to most chemicals, oils, and solvents. Covers single cond., PVC insulated hook-up wire for internal wiring of electrical and electronic equipment.

PHYSICAL CHARACTERISTICS:

CONDUCTOR:

Number of Conductors	1
Total Number of Conductors	1
AWG	22
Stranding	7x30
Conductor Material	TC - Tinned Copper

INSULATION:

Insulation Material	PVC - Polyvinyl Chloride
Insulation Thickness	.017 in.

OVERALL:

Overall Nominal Diameter	.064 in.
--------------------------	----------

APPLICABLE SPECIFICATIONS AND AGENCY COMPLIANCE:

APPLICABLE STANDARDS:

EU CE Mark (Y/N)	Yes
EU RoHS Compliant (Y/N)	Yes
EU RoHS Compliance Date (mm/dd/yyyy):	10/01/2005
Military Specification	MIL-W-76C
MIL Spec Rating	1000 V, 80°C

PLENUM/NON-PLENUM:

Plenum (Y/N)	N
--------------	---

PUT-UPS AND COLORS:

Item	Description	Put-Up (ft.)	Ship Weight (lbs.)	Jacket Color	Notes
8524 001100	22 STR PVC BRN	100	0.4	BROWN	
8524 0011000	22 STR PVC BRN	1000	5	BROWN	P

8524 Hook-up/Lead - (Type MW) MIL-W-76C-PVC

8524 002100	22 STR PVC RED	100	0.4	RED	
8524 0021000	22 STR PVC RED	1000	5	RED	P
8524 003100	22 STR PVC ORG	100	0.4	ORANGE	
8524 0031000	22 STR PVC ORG	1000	5	ORANGE	P
8524 004100	22 STR PVC YEL	100	0.4	YELLOW	
8524 0041000	22 STR PVC YEL	1000	5	YELLOW	P
8524 005100	22 STR PVC GRN	100	0.4	GREEN, DARK	
8524 0051000	22 STR PVC GRN	1000	5	GREEN, DARK	P
8524 006100	22 STR PVC LBLU	100	0.4	BLUE, LIGHT	
8524 0061000	22 STR PVC LBLU	1000	5	BLUE, LIGHT	P
8524 007100	22 STR PVC VIO	100	0.4	VIOLET	
8524 0071000	22 STR PVC VIO	1000	5	VIOLET	P
8524 008100	22 STR PVC GRY	100	0.4	GRAY	
8524 0081000	22 STR PVC GRY	1000	5	GRAY	P
8524 009100	22 STR PVC WHT	100	0.4	WHITE	
8524 0091000	22 STR PVC WHT	1000	5	WHITE	P
8524 010100	22 STR PVC BLK	100	0.4	BLACK	
8524 0101000	22 STR PVC BLK	1000	5	BLACK	P
8524 011100	22 STR PVC TAN	100	0.4	TAN	
8524 0111000	22 STR PVC TAN	1000	5	TAN	P
8524 012100	22 STR PVC PNK	100	0.4	PINK	
8524 0121000	22 STR PVC PNK	1000	5	PINK	P
8524 013100	22 STR PVC DBLU	100	0.4	BLUE, DARK	
8524 0131000	22 STR PVC DBLU	1000	5	BLUE, DARK	P
8524 014100	22 STR PVC WHT/BLK	100	0.4	WHITE/BLACK	A
8524 0141000	22 STR PVC WHT/BLK	1000	5	WHITE/BLACK	A
8524 015100	22 STR PVC WHT/RED	100	0.4	WHITE/RED	A
8524 0151000	22 STR PVC WHT/RED	1000	5	WHITE/RED	A

8524 Hook-up/Lead - (Type MW) MIL-W-76C-PVC

8524 016100	22 STR PVC WHT/GRN	100	0.4	WHITE/GREEN	A
8524 0161000	22 STR PVC WHT/GRN	1000	5	WHITE/GREEN	A
8524 017100	22 STR PVC WHT/YEL	100	0.4	WHITE/YELLOW	A
8524 0171000	22 STR PVC WHT/YEL	1000	5	WHITE/YELLOW	A
8524 018100	22 STR PVC WHT/BLU	100	0.4	WHITE/BLUE	A
8524 0181000	22 STR PVC WHT/BLU	1000	5	WHITE/BLUE	A
8524 019100	22 STR PVC WHT/BRN	100	0.4	WHITE/BROWN	A
8524 0191000	22 STR PVC WHT/BRN	1000	5	WHITE/BROWN	A
8524 020100	22 STR PVC WHT/ORG	100	0.4	WHITE/ORANGE	A
8524 0201000	22 STR PVC WHT/ORG	1000	5	WHITE/ORANGE	A
8524 021100	22 STR PVC WHT/GRY	100	0.4	WHITE/GRAY	A
8524 0211000	22 STR PVC WHT/GRY	1000	5	WHITE/GRAY	A
8524 022100	22 STR PVC WHT/VIO	100	0.4	WHITE/VIOLET	A
8524 0221000	22 STR PVC WHT/VIO	1000	5	WHITE/VIOLET	A
8524 023100	22 STR PVC WHT/BLK/RED	100	0.4	WHITE/BLACK/RE D	A
8524 0231000	22 STR PVC WHT/BLK/RED	1000	5	WHITE/BLACK/RE D	A
8524 024100	22 STR PVC WHT/BLK/GRN	100	0.4	WHITE/BLACK/GR EEN	A
8524 0241000	22 STR PVC WHT/BLK/GRN	1000	5	WHITE/BLACK/GR EEN	A
8524 025100	22 STR PVC WHT/BLK/YEL	100	0.4	WHITE/BLACK/YEL LOW	A
8524 0251000	22 STR PVC WHT/BLK/YEL	1000	5	WHITE/BLACK/YEL LOW	A
8524 026100	22 STR PVC WHT/BLK/BLU	100	0.4	WHITE/BLACK/BL UE	A
8524 0261000	22 STR PVC WHT/BLK/BLU	1000	5	WHITE/BLACK/BL UE	A
8524 027100	22 STR PVC WHT/BLK/BRN	100	0.4	WHITE/BLACK/BR OWN	A
8524 0271000	22 STR PVC WHT/BLK/BRN	1000	5	WHITE/BLACK/BR OWN	A
8524 028100	22 STR PVC WHT/BLK/ORG	100	0.4	WHITE/BLACK/OR ANGE	A
8524 0281000	22 STR PVC WHT/BLK/ORG	1000	5	WHITE/BLACK/OR ANGE	A
8524 029100	22 STR PVC WHT/BLK/GRY	100	0.4	WHITE/BLACK/GR AY	A
8524 0291000	22 STR PVC WHT/BLK/GRY	1000	5	WHITE/BLACK/GR AY	A

8524 Hook-up/Lead - (Type MW) MIL-W-76C-PVC

8524 030100	22 STR PVC WHT/BLK/VIO	100	0.4	WHITE/BLACK/VIO LET	A
8524 0301000	22 STR PVC WHT/BLK/VIO	1000	5	WHITE/BLACK/VIO LET	A

A = STOCKED STRIPE COLORS.

P = STRIPE COLORS ON STOCK SOLID COLORS. STRIPING ADDER OF \$8.00/M' FOR 1 OR 2 STRIPES. 10 000' MINIMUM ORDER FOR COLOR COMBINATION. PUT-UP WILL BE SUBJECT TO TWO PIECES (+ OR -) 10% PER SPOOL WITH A MINIMUM LENGTH OF 100'.

Revision Number: 1 Revision Date: 10-06-2005

© Copyright 2006 Belden, Inc
All Rights Reserved.

Although Belden ("Belden") makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with the following environmental regulations: California Proposition 65 Consent Judgment For Wire & Cable Mfgs.(San Francisco Superior Court Nos. 312962 And 320342); EU RoHS (Directive 2002/95/EC, 27-Jan-2003);Material manufactured prior to the compliance date may still be in stock at Belden facilities and in our Distributor's inventory. EU ELV (Directive 2000/53/EC, 18-Sept-2000); EU WEEE (Directive 2002/96/EC, 27-Jan-2003); And EU BFR (Directive 2003/11/EC, 6-Feb-2003). The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information and belief at the date of its publication. The information provided in the Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Belden declares this product to be in compliance with EU LVD (Low Voltage Directive 73/23/EEC), as amended by directive 93/68/EEC.