


WMS 2,4 (12,5X5)R

Order No.: 0817426

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0817426>

Marker for thermal transfer printer, perforated 3-way, white, labeling field: 12.5 x 5 mm, can be used for 2.4 mm diameter, shrinkage ratio 3:1, 1 roll = 1000 Marker at 12.5 mm

Commercial data

EAN	4046356108522
Pack	1 pcs.
Customs tariff	39173231
Weight/Piece	0.2767 KG
Catalog page information	Page 554 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
05/11/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length	50 mm
Width	5 mm
Color	white
Base element material	polyolefine
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-55 °C ... 135 °C

Components	Silicone-free
Material	Polyolefine
Length	50 mm

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2009 Phoenix Contact
Technical modifications reserved;