

# DECLARATION OF CONFORMITY

SILVERTRONIC Ltd. confirm that the products listed below have been Designed, Manufactured and Tested to, and therefore are fully compliant to;  
**IEC1010-1 1990 inc. Amendment 2-1995 & IEC1010-2-031 First Edition-1993**  
and thus meet **THE LOW VOLTAGE DIRECTIVE (LVD) 73/23/EEC and amending directive 93/68/EEC**

PRODUCT TYPE / DESCRIPTION				Test Lead Set	
PART No.				129272	
IEC1010 RATING	VOLTAGE	1000	Volts	INSULATION CATEGORY	III ( 3 )

MAXIMUM RATED CURRENT	*20/30	<b>Amps</b>
POLLUTION DEGREE	2	
INSULATION CATEGORY	DOUBLE/REINFORCED	

INCLUDES FOLLOWING ASSEMBLIES / COMPONENTS SUBJECT TO INDIVIDUAL TEST.	DESCRIPTION	PART No.
	*OEM Full Safety Plug To OEM Right Angle Plug Lead	123815
	OEM Style Prod	125072
	1000V Croc. Clip	126024



All Testing carried out by Third Party Testhouse  
**CRANAGE EMC TESTING Ltd.**  
( LVD TESTING DEPARTMENT )



www.silvertronic.com  
e-mail: sales@silvertronic.com

Registration No. 1993292

**North American Office**  
4405 Sharon Copley Road,  
Medina, Ohio, 44256.  
Toll Free: (866) 556 3308  
Facsimile: (330) 722 2281



Date  
22/12/98

Drn.By  
Steve \$

Title  
OEM FS TO RA LEAD  
MODULAR KIT

ISSUE No.

22/12/98  
PROD. ISSUE


Part No. **129272**

This drawing is not to be disclosed to a third party without the authority from the company.©

Scale  
N.T.S.

IEC 1010 COMPLIANT RATING:  
1000 VOLTS CAT III 20 AMPS MAX. POL DEG. 2  
10 AMPS CONT.


PROJECT No.1558




125070 OEM PLUG

1No. R & B 123815 OEM FS-RA LEAD


125076 OEM RA PLUG




1No. R & B 126024 CROC CLIPS



125072 OEM SHORT PROD



1No. R & B 125072 OEM SHORT PRODS



ASSEMBLY JIG NUMBERS  
125070= J163 or 167 + 166

PACKAGING  
119505 silver wallet

NO PRINTING

TOLERANCES  
CABLE LENGTHS +/- 5%

DO NOT SCALE.  
ALL DIMENSIONS IN mm.

# APPRENTICE TEST LEAD KIT

**PERFECT FOR A WIDE VARIETY OF TESTING APPLICATIONS!**

**P/N 129272RTL**



• **Compatible with all Industry Standard 4mm Instrument (DMM) Sockets**

• **Modular Test Leads allow user to choose appropriate accessory for application**

• **RATED 1000V CAT III/600V CAT IV, 20 Amps**

**Includes:**

- 1 Pair Modular, Double Insulated, Silicone Leads, 48"
- 1 Pair Extra Sharp, Stainless Steel Probes
- 1 Pair Fully Insulated Crocodile Clips
- 1 Pair Probe Tip Insulation Extenders

