

## ► General data



Y-distributor/ connector M 12, with female connector M 12, 5-pos. connector (parallel)

Order number	1683468
Type	SAC-5P-M12Y/2XM12FS VP

Barcode number	4017918166915
Unit pack	5 Pcs.
Customs tariff	85369010000

## ► Technical data

### General data

Nominal current $I_N$	4 A
Nominal voltage $U_N$	24 V AC (In acc. with DIN VDE 0110)
Nominal voltage $U_N$	(In acc. with DIN VDE 0110)
Rated voltage	24 V
Number of positions	5
Contact resistance	5 mOhm
Ambient temperature (operation)	-25 °C ... 90 °C

### General characteristics


Insulating material	TPU
Material contact surface	Ni/Au
Material contact	CuSn
Degree of protection	IP 67
Contact resistance	5 mOhm
Insulation resistance	1000000000




## ▸ Drawings

---


### Dimensioned drawing



### Circuit diagram



### Schematic diagram



## ► Documentation

---

### Data Sheet

5126374\_00\_GB.pdf

---

## ► Address

---

Phoenix Contact GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel + 49 - (0) 52 35 - 3-00  
Fax + 49 - (0) 52 35 - 3-4 12 00  
[www.phoenixcontact.com](http://www.phoenixcontact.com)

© Phoenix Contact  
Technical modifications reserved