

**SDZ8V2D**

Zener Diode


## Features

- Compact type
- Radiation size 1.25mm × 1.7mm
- Surface mount lead configuration

## Ordering Information

Type NO.	Marking	Package Code
SDZ8V2D	Z7	SOD-323

## Outline Dimensions



---

# **SDZ8V2D**

## **Absolute maximum ratings**

(Ta=25°C)

<b>Characteristic</b>	<b>Symbol</b>	<b>Ratings</b>	<b>Unit</b>
Power dissipation	P <sub>D</sub>	200	mW
Junction temperature	T <sub>j</sub>	150	°C
Storage temperature	T <sub>stg</sub>	-55~150	°C

## **Electrical Characteristics**


(Ta=25°C)

<b>Characteristic</b>	<b>Symbol</b>	<b>Test Condition</b>	<b>Min.</b>	<b>Typ.</b>	<b>Max.</b>	<b>Unit</b>
Zener voltage	V <sub>Z</sub>	I <sub>Z</sub> =5mA	7.84	-	8.56	V
Dynamic impedance	Z <sub>ZT</sub>	I <sub>Z</sub> =5mA	-	-	7	Ω
KNEE dynamic impedance	Z <sub>ZK</sub>	I <sub>Z</sub> =0.25mA	-	-	600	Ω
Reverse current	I <sub>R</sub>	V <sub>R</sub> =6.5V	-	-	0.5	μA

---

# **SDZ8V2D**

**Fig. 1 P<sub>D</sub>.T<sub>a</sub>**



**Fig. 2 I<sub>Z</sub>.V<sub>Z</sub>**

