

捷多邦,专业PCB打样工作Q20小时加急出货ATASHEET

AAT4292

SmartSwitch[™]

Seven Channel High-Side I/O Expander

General Description

The AAT4292 SmartSwitchTM is a member of AnalogicTech's Application Specific Power MOSFETTM (ASPMTM) product family. The AAT4292 has seven P-channel MOSFETs configured for use as a high side microprocessor GPIO expander powered from a common supply source. Operating over a 1.8V to 5.5V range, the AAT4292 is ideal for portable Li-Ion/Polymer powered products. The state of each output channel is controlled with a single GPIO line via the EN/SET pin using AnalogicTech's Simple Serial ControlTM (AS²CwireTM) interface.

The switch states are controlled by AnalogicTech's Simple Serial Control (AS²Cwire) interface which permits ease of control and efficiency of size. The quiescent supply current is very low, typically 6.3μ A. In shutdown mode, the supply current is reduced to less than 1μ A.

The AAT4292 is offered in a Pb-free, 10-pin SC70JW package specified over the -40°C to +85°C temperature range.

Features

- V_{IN} Range: 1.8V 5.5V
- 7 Independent Output Channels
- 1.1Ω R_{DS(ON)} per Channel
- User Programmable AS²Cwire Interface
- Low Quiescent Current
 - 6.3µA Operational
 - 0.1µA in shutdown
- -40°C to +85°C Temperature Range
- Available in SC70JW-10 Package

Applications

- Cell Phone Keypad, Backlight And Fashion Lighting
 Control
- I/O Expander
- Media Players
- Multiple Channel Low Power Switching
- Portable Electronic Devices



1202 2008 08 1 0





SmartSwitch™

Seven Channel High-Side I/O Expander

Pin Descriptions

Symbol	Pin #	Function
OUT4	1	P-channel MOSFET drain; Channel 4 output pin.
OUT5	2	P-channel MOSFET drain; Channel 5 output pin.
OUT6	3	P-channel MOSFET drain; Channel 6 output pin.
OUT7	4	P-channel MOSFET drain; Channel 7 output pin.
GND	5	Ground connection.
EN/SET	6	Input control pin using AS ² Cwire serial interface. The device records rising edges of the clock, and decodes them into 128 states controlling the ON/OFF states of the outputs. See Table 1 and Table 2 for output settings. In addition, a logic low forces the device into shutdown mode, reducing the supply current to less than 1 μ A. This pin should not be left floating.
OUT1	7	P-channel MOSFET drain; Channel 1 output pin.
OUT2	8	P-channel MOSFET drain, Channel 2 output pin.
OUT3	9	P-channel MOSFET drain, Channel 3 output pin.
VIN	10	Input supply voltage. VIN is connected to the P-channel MOSFET common sources. Connect a $1\mu\text{F}$ ceramic capacitor from VIN to GND.

Pin Configuration

SC70JW-10 (Top View)

OUT4 🔤	10	VIN
OUT5 🛛	9	OUT3
OUT6 🖪	8	OUT2
OUT7 4	7	OUT1
GND 🗉	6	EN/SET





SmartSwitch

Seven Channel High-Side I/O Expander

Absolute Maximum Ratings¹

Symbol	Description	Value	Units
V _{IN}	VIN to GND	-0.3 to 6.0	V
V _{OUT}	OUT to GND	-0.3 to V_{IN} + 0.3	V
V _{EN/SET}	EN/SET to GND	-0.3 to 6.0	V
I _{MAX}	Maximum Continuous Switch Current	250	mA
T _J	Operating Junction Temperature Range	-40 to 150	°C
V _{ESD}	ESD Rating – HBM ²	4000	V

Thermal Information

Symbol	Description	Value	Units
Θ_{JA}	Thermal Resistance ³	225	°C/W
PD	Maximum Power Dissipation ⁴ ($T_A = 25^{\circ}C$)	440	mW

1. Stresses above those listed in Absolute Maximum Ratings may cause permanent damage to the device. Functional operation at conditions other than the operating conditions specified is not implied. Only one Absolute Maximum rating should be applied at any one time. 2. Human body model is a 100pF capacitor discharged through a $1.5k\Omega$ resistor to each pin. 3. Mounted on a FR4 board.

4. Derate 4.4mW/°C above 25°C.





SmartSwitch

Seven Channel High-Side I/O Expander

Electrical Characteristics¹

 V_{IN} = 5.0V, T_A = -40°C to 85°C unless otherwise noted. Typical values are T_A = 25°C.

Symbol	Description	Conditions	Min	Тур	Max	Units
Power Su	oply and MOSFETs					
V _{IN}	Operation Voltage		1.8		5.5	V
I _Q	Quiescent Current	$EN/SET = V_{IN} = 5V, I_{OUTn} = 0, AII$ Switches ON		6.3	10	μA
I _{SD(OFF)}	Shutdown Current	$EN/SET = GND, V_{IN} = 5V, OUTn = 0$		0.1	1.0	μA
		$V_{IN} = 5.0V, I_{OUTn} = 100mA, T_A = 25^{\circ}C$		1.1	1.7	
D	P-Channel High-Side MOSFET	V_{IN} = 4.2V, I_{OUTn} = 100mA, T_A = 25°C		1.2	1.8	0
NDS(ON)	On-State Resistance	$V_{IN} = 3.0V, I_{OUTn} = 100mA, T_A = 25^{\circ}C$		1.5	2.2	22
		$V_{IN} = 1.8V, I_{OUTn} = 100mA, T_A = 25^{\circ}C$		2.5	3.8	
T _{CRDS}	On-State Resistance Temperature Coefficient			2800		ppm/°C
Switch Tir	ning					
t _{D(ON)}	Output Turn-On Delay Time ²	$V_{IN} = 5V, R_{LOAD} = 500\Omega, C_{OUT} = 100nF$		40		
t _R	Turn-On Rise Time	$V_{IN} = 5V, R_{LOAD} = 500\Omega, C_{OUT} = 100nF$		270		ns
t _{D(OFF)}	Output Turn-Off Delay Time ³	$V_{IN} = 5V$, $R_{LOAD} = 500\Omega$		40		
Control Lo	gic (EN/SET)					
V _{EN(L)}	Enable Threshold Low	$V_{IN} = 1.8V$			0.4	V
V _{EN(H)}	Enable Threshold High	V _{IN} = 5.5V	1.6			V
t _{LO}	EN/SET Low Time	$V_{EN/SET} < 0.4V$	100			ns
	Minimum FN/CFT Lligh Times	$V_{IN} \leq 2.5V$			500	
LHI	Minimum EN/SET High Time	V _{IN} > 2.5V			250	ns
t _{off}	EN/SET Off Timeout			1.3	4.0	μs
t _{LAT}	EN/SET Latch Timeout			1.15	4.0	μs
I _{SINK}	EN/SET Input Leakage Current	$V_{\text{EN/SET}} = 5.5V$		0.01	1.0	μA

^{1.} The AAT4292 is guaranteed to meet performance specification over the -40°C to +85°C operating temperature range, and is assured by design, characterization and correlation with statistical process controls. 2. $t_{D(ON)}$ is the time after latch timeout to 90% of the output voltage. 3. $t_{D(OFF)}$ is the time after off timeout to 10% of the output voltage.



SmartSwitch™

Seven Channel High-Side I/O Expander

PRODUCT DATASHEET

AAT4292

Typical Characteristics

Unless otherwise noted, V_{IN} = 5.0V, C_{IN} = 1µF, C_{OUTn} = 0.1µF, T_A = 25°C.

Quiescent Current vs. Input Voltage



 $V_{EN(H)}$ and $V_{EN(L)}$ vs. Input Voltage





10

35

Temperature (°C)

Input Voltage (V)













-15

1.4

1.3

1.2

1.1

0.9

0.8

0.7

0.6

0.5 L -40

1

 $R_{DS(ON)}(\Omega)$

 $\mathsf{R}_{\mathsf{DS4}}$

 R_{DS5}

 R_{DS6}

 R_{DS7}

85

_

_

60





SmartSwitch™

Seven Channel High-Side I/O Expander

Typical Characteristics

Unless otherwise noted, V_{IN} = 5.0V, C_{IN} = 1µF, C_{OUTn} = 0.1µF, T_A = 25°C.

EN/SET Latch Timeout vs. Temperature



EN/SET Timeout vs. Input Voltage



 $\label{eq:VIN} \begin{array}{l} \textbf{Turn-On Characteristic} \\ (V_{IN}=5V; \ R_{L2}=R_{L6}=R_{L7}=50\Omega; \ C_{02}=C_{06}=C_{07}=0.1 \mu F) \end{array}$



Time (10µs/div)

EN/SET Off Timeout vs. Temperature



 $\begin{array}{l} \textbf{Turn-On Characteristic} \\ (V_{IN}=5V; \ R_{L2}=R_{L6}=R_{L7}=50\Omega; \ C_{02}=C_{06}=C_{07}=0.1 \mu F) \end{array}$



Time (2µs/div)

 $\label{eq:VIN} \begin{array}{l} \textbf{Turn-On Characteristic} \\ (V_{IN} = 5V; \, R_{L2} = R_{L6} = R_{L7} = 50 \Omega; \, C_{02} = C_{06} = C_{07} = 0.1 \mu F) \end{array}$



Time (10µs/div)





SmartSwitch™

Seven Channel High-Side I/O Expander

Typical Characteristics

Unless otherwise noted, V_{IN} = 5.0V, C_{IN} = 1µF, C_{OUTn} = 0.1µF, T_A = 25°C.











Time (10µs/div)

Turn-On Characteristic

 $(V_{IN} = 5V; R_{L2} = R_{L6} = R_{L7} = 50\Omega; C_{O2} = C_{O6} = C_{O7} = 0.1 \mu F)$



Time (10µs/div)



Time (10µs/div)





SmartSwitch™

Seven Channel High-Side I/O Expander

Functional Block Diagram



Functional Description

The AAT4292 consists of seven P-channel MOSFET power switches designed for I/O expansion applications. The device operates with input voltages ranging from 1.8V to 5.5V which, along with its extremely low operating current, makes it ideal for battery-powered applications. In cases where the input voltage drops below 1.8V, the AAT4292 MOSFETs are protected from entering the linear region of operation by automatically shutting down. In addition, the TTL-compatible EN/SET pin makes the AAT4292 an ideal level-shifted load switch. An optional slew rate controlling feature eliminates inrush current when a MOSFET is turned on, allowing the AAT4292 to be implemented with a small input capacitor or no capacitor at all, while maintaining isolation between channels. During slewing, the current ramps linearly until it reaches the level required for the output load condition. The proprietary control method works by careful control and monitoring of the MOSFET gate volt-



SmartSwitch™

age. When the device is switched ON, the gate voltage is quickly increased to the threshold level of the MOSFET. Once at this level, the current begins to slew as the gate voltage is slowly increased until the MOSFET becomes fully enhanced. Once it has reached this point, the gate is quickly increased to the full input voltage and $R_{\rm DS(ON)}$ is minimized.

The ON/OFF states of the seven MOSFET switches are controlled by the EN/SET serial clock input. An internal control counter is clocked on the rising edges of the EN/SET pin and is decoded into 128 possible states of the MOSFET (see Table 1 and Table 2). The counter can be clocked at speeds up to 1MHz, but the count value is not latched until clocking has stopped and the EN/SET pin has remained high for the t_{LAT} timeout (approximate 1.15µs typical). The first rising edge of EN/SET enables the AAT4292 and is counted as the first clock.

There are four address switch bank in AAT4292, which is selected by the corresponding rising edges 33 to 36, after remaining the EN/SET high for the t_{LAT} timeout, then the clock number is latched and the relevant address switch bank (0 to 3) is asserted. Next, the corresponding rising edges of Data from 1 to 32 can be serial submitted, and closed by the EN/SET remaining high for t_{LAT} timeout. After the timeout t_{LAT} , the outputs status is updated accordingly.

The AAT4292 is disabled after the EN/SET pin has transitioned and remained in a logic low for t_{OFF} timeout, and the quiescent current drops to $0.1\mu\text{A}$ typically.

Seven Channel High-Side I/O Expander

PRODUCT DATASHEET

AAT4292

AS²Cwire Serial Interface

The ON/OFF states of the seven output channels are controlled by the EN/SET serial data input. An internal control counter is clocked on the rising edge of the EN/SET pin and is decoded into one of 128 possible states using a short address and data word (see Tables 1 and 2).

AS²Cwire relies on the number of rising edges of the EN/ SET pin to address and load the registers, as illustrated in Figure 1. AS²Cwire latches data (1 to 32 edges) or address (33 to 36 edges) after the EN/SET pin has been held high for time t_{LAT} . The interface records rising edges of the EN/SET pin and decodes them into one of four addresses corresponding to the address table (Table 1), or 1 of 32 data settings corresponding to the switch code table (Table 2). The combined address and data is used to decode one of 128 possible switch states. Address and Data are differentiated by the number of rising edges on the EN/SET pin. 1 to 32 rising edges signifies Data, and 33 to 36 rising edges signifies Address. The counter can be clocked at speeds up to 1MHz, such that intermediate states are not visible. The first rising edge of EN/SET enables the IC and turns the switches OUT3-OUT7 on. Once the final clock cycle is received, the EN/SET pin is held high to maintain the device setting. The device is disabled after the EN/SET pin transitions to a logic low state for t_{OFF} timeout (approximate 1.3µs typical).

Address Code

Address Switch Bank Code	EN/SET Rising Edges
0	33
1	34
2	35
3	36

Table 1: AS²Cwire Address Table.





SmartSwitch™

Seven Channel High-Side I/O Expander

Data Code

Address	Data	OUT1	OUT2	OUT3	OUT4	OUT5	OUT6	OUT7	Address	Data	OUT1	OUT2	OUT3	OUT4	OUT5	OUT6	OUT7
	1	on	on	on	on	on	on	on		1	off	on	on	on	on	on	on
	2	on	on	on	on	on	on	off		2	off	on	on	on	on	on	off
	3	on	on	on	on	on	off	on		3	off	on	on	on	on	off	on
	4	on	on	on	on	on	OTT	011		4	Off	on	on	on	on	OTT	011
	6	on	on	on	on	off	on	off		6	off	on	on	on	off	on	off
	7	on	on	on	on	off	off	on		7	off	on	on	on	off	off	on
	8	on	on	on	on	off	off	off		8	off	on	on	on	off	off	off
	9	on	on	on	off	on	on	on		9	off	on	on	off	on	on	on
	11	on	on	on	off	on	on	011		10	Off	on	on	Off	on	on	011
	12	on	on	on	off	on	off	off		12	off	on	on	off	on	off	off
	13	on	on	on	off	off	on	on	1	13	off	on	on	off	off	on	on
	14	on	on	on	off	off	on	off		14	off	on	on	off	off	on	off
	15	on	on	on	off	off	off	on		15	off	on	on	off	off	off	on
0	17	on	on	off	on	on	on	on	2	10	off	on	off	on	on	on	on
	18	on	on	off	on	on	on	off		18	off	on	off	on	on	on	off
	19	on	on	off	on	on	off	on		19	off	on	off	on	on	off	on
	20	on	on	off	on	on	off	off		20	off	on	off	on	on	off	off
	21	on	on	off	on	off	on	on		21	off	on	off	on	off	on	on
	22	on	on	off	on	off	off	on		22	off	on	off	on	off	off	on
	24	on	on	off	on	off	off	off		24	off	on	off	on	off	off	off
	25	on	on	off	off	on	on	on		25	off	on	off	off	on	on	on
	26	on	on	off	off	on	on	off		26	off	on	off	off	on	on	off
	2/	on	on	off	off	on	Off	on		27	off	on	Off	off	on	Off	on
	20	on	on	off	off	off	on	on		20	off	on	off	off	off	on	on
	30	on	on	off	off	off	on	off		30	off	on	off	off	off	on	off
	31	on	on	off	off	off	off	on		31	off	on	off	off	off	off	on
	32	on	on	off	off	off	off	off		32	off	on	off	off	off	off	off
Address	Data	OUT1	OUT2	OUT3	OUT4	OUT5	OUT6	OUT7	Address	Data	OUT1	OUT2	OUT3	OUT4	OUT5	OUT6	OUT7
Address	Data	OUT1 on	OUT2 off	OUT3 on	OUT4 on	OUT5 on	OUT6 on	OUT7 on	Address	Data 1	OUT1 off	OUT2 off	OUT3 on	OUT4 on	OUT5 on	OUT6 on	OUT7 on
Address	Data 1 2	OUT1 on on	OUT2 off off	OUT3 on on	OUT4 on on	OUT5 on on	OUT6 on off	OUT7 on off	Address	Data 1 2 2	OUT1 off off	OUT2 off off	OUT3 on on	OUT4 on on	OUT5 on on	OUT6 on off	OUT7 on off
Address	Data 1 2 3 4	OUT1 on on on	OUT2 off off off	OUT3 on on on	OUT4 on on on	OUT5 on on on	OUT6 on off off	OUT7 on off on	Address	Data 1 2 3 4	OUT1 off off off	OUT2 off off off	OUT3 on on on	OUT4 on on on	OUT5 on on on	OUT6 on off off	OUT7 on off on
Address	Data 1 2 3 4 5	OUT1 on on on on	OUT2 off off off off off	OUT3 on on on on	OUT4 on on on on	OUT5 on on on off	OUT6 on off off on	OUT7 on off on off on	Address	Data 1 2 3 4 5	OUT1 off off off off off	OUT2 off off off off off	OUT3 on on on on	OUT4 on on on on	OUT5 on on on off	OUT6 on off off on	OUT7 on off on off on
Address	Data 1 2 3 4 5 6	OUT1 on on on on on	OUT2 off off off off off	OUT3 on on on on on	OUT4 on on on on on on	OUT5 on on on off off	OUT6 on off off on on	OUT7 on off on off on off	Address	Data 1 2 3 4 5 6	OUT1 off off off off off	OUT2 off off off off off off	OUT3 on on on on on on	OUT4 on on on on on	OUT5 on on on off off	OUT6 on off off on on	OUT7 on off on off on off
Address	Data 1 2 3 4 5 6 7	OUT1 on on on on on on	OUT2 off off off off off off	OUT3 on on on on on on	OUT4 on on on on on on	OUT5 on on on off off off	OUT6 on off off on on off	OUT7 on off on off on off off	Address	Data 1 2 3 4 5 6 7	OUT1 off off off off off off	OUT2 off off off off off off	OUT3 on on on on on on	OUT4 on on on on on on	OUT5 on on on off off off	OUT6 on off off on on off	OUT7 on off on off on off on
Address	Data 1 2 3 4 5 6 7 8 0	OUT1 on on on on on on	OUT2 off off off off off off off	OUT3 on on on on on on	OUT4 on on on on on on on	OUT5 on on on off off off	OUT6 on off off on on off off	OUT7 on off on off on off off	Address	Data 1 2 3 4 5 6 7 8 0	OUT1 off off off off off off off	OUT2 off off off off off off off	OUT3 on on on on on on	OUT4 on on on on on on on	OUT5 on on on off off off	OUT6 on off off on on off off	OUT7 on off on off on off off
Address	Data 1 2 3 4 5 6 7 8 9 10	OUT1 on on on on on on on on on	OUT2 off off off off off off off off off	OUT3 on on on on on on on on on	OUT4 on on on on on on off off	OUT5 on on on off off off off off on on	OUT6 on off off on on off off off off	OUT7 on off on off on off on off on off	Address	Data 1 2 3 4 5 6 7 8 9 10	OUT1 off off off off off off off off off	OUT2 off off off off off off off off off	OUT3 on on on on on on on on on	OUT4 on on on on on on on off	OUT5 on on on off off off off off on on	OUT6 on off off on on off off off off	OUT7 on off on off on off on off on off
Address	Data 1 2 3 4 5 6 7 8 9 10 11	OUT1 on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on	OUT4 on on on on on on off off	OUT5 on on on off off off off off on on on	OUT6 on off off on off off off off on off	OUT7 on off on off on off on off on off on	Address	Data 1 2 3 4 5 6 7 8 9 10 11	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on	OUT4 on on on on on on off off	OUT5 on on on off off off off off on on on	OUT6 on off off on off off off off on off	OUT7 on off on off on off on off on off on
Address	Data 1 2 3 4 5 6 7 8 9 10 11 12	OUT1 on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on	OUT4 on on on on on off off off	OUT5 on on off off off off off on on on	OUT6 on off off on on off off on off off off	OUT7 on off on off on off on off on off	Address	Data 1 2 3 4 5 6 7 8 9 10 11 12	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off	OUT3 on on on on on on on on on on	OUT4 on on on on on on off off off	OUT5 on on off off off off off on on on	OUT6 on off off on off off off on off off of	OUT7 on off on off on off on off on off
Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14	OUT1 on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on	OUT4 on on on on on off off off off	OUT5 on on on off off off off off off on on on on on	OUT6 on off off on off off on off off off	OUT7 on off on off on off on off on off on	Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on	OUT4 on on on on on off off off off off	OUT5 on on on off off off off off off off on on on on on	OUT6 on off off on off off off off off off	OUT7 on off on off on off on off on off on
Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OUT1 on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off on off off on off off off of	OUT7 on off on off on off on off on off on off on	Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on	OUT4 on on on on on on off off off off off	OUT5 on on off off off off off off on on on on off off	OUT6 on off off on off off off off off off o	OUT7 on off on off on off on off on off on off on off
Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off on on on off off	OUT6 on off off on off off off off off off o	OUT7 on off on off on off on off on off on off on off on	Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off on on on on off off	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off
Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off on off off off off off on off off	OUT7 on off on off on off on off on off on off on off on	Address 3	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off on off off off off on off off	OUT7 on off on off on off on off on off on off on off on off on
Address	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on off off off off off off	OUT5 on on off off off off off on on on off off	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off	Address	Data 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off
Address 1	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on	Address	Data 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off
Address 1	Data 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on	Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on
Address 1	Data 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on	Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on on off off off off of	OUT5 on on on off off off off off off off off off on on on on on on off off off on on off off off off off	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off
Address 1	Data 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on on off off off off off off off off off on on on on off off off off off on on off off off off	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off on	Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on on off on on on off off off off off on on off off off off	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off on
Address 1	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off on off	Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on on off on on on off off	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off on off on off
Address 1	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off on	Address 3	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off on off on off on off on off on off on off on off on off on off on off
Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off on off off	OUT7 on off off	Address 3	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off off
Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off off	Address	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off off off off	OUT7 on off off
Address 1	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off on off off on off off	OUT7 on off o off off	Address	Data 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off off on off off o	OUT7 on off off
Address 1	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on on off off	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off off on off off off o	OUT7 on off on off on off on off on off on off on off on off on off on off on off on off on off of on off of of of of of of of of of of of of	Address 3	Data 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off on on on off off	OUT6 on off off off off off on off off off o	OUT7 on off off
Address 1	Data 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	OUT1 on on on on on on on on on on on on on	OUT2 off off off off off off off off off of	OUT3 on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off off off off off o	OUT6 on off off off off on off off on off off	OUT7 on off on off on off on off on off on off on off on off on off on off on off on off on off of on off of of of of of of of of of of of of	Address	Data 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 13 14 15 20 21 22 23 24 25 26 27 28 29 30 31	OUT1 off off off off off off off off off of	OUT2 off off off off off off off off off of	OUT3 on on on on on on on on on on on on on	OUT4 on on on on on on off off off off off o	OUT5 on on off off off off on on on off off	OUT6 on off off off off off on off off off on off on off on off on off off on off off	OUT7 on off on off on off on off on off on off on off on off on off on off on off on off off

Table 2: AS²Cwire Data Code Table.



SmartSwitch™

Application Information

Thermal Considerations

The AAT4292 is designed to deliver continuous output load currents. Due to its high integration, care must be taken in designing for higher load conditions. If greater loads are required, outputs can be tied together to deliver higher power to a given load.

For the thermal calculation, assuming that the total current capability of the seven channels is I_{TOTAL} , each channel has the same current which is $I_{\text{out}} = \frac{I_{\text{TOTAL}}}{7}$, then

$$\mathsf{P}_{\mathsf{TOTAL}} = 7\mathsf{I}_{\mathsf{OUT}}^2\mathsf{R}_{\mathsf{DS}(\mathsf{ON})} = 7\left(\frac{\mathsf{I}_{\mathsf{TOTAL}}}{7}\right)^2\mathsf{R}_{\mathsf{DS}(\mathsf{ON})} = \mathsf{P}_{\mathsf{D}} - \mathsf{P}_{\mathsf{DERATE}}(\mathsf{T}_{\mathsf{A}} - 25)$$

Where:

 $P_{\rm D}$ = 440mW when T_{A} = 25°C $P_{\rm DERATE}$ = 4.4mW/°C $R_{\rm DS(ON)}$ = 1.7 Ω (maximum) when $V_{\rm IN}$ = 5.0V

For example, at 25°C ambient, the AAT4292 power capability is $P_{\text{TOTAL}} = 440 \text{mW}$, then $I_{\text{TOTAL}} \cong 1.35\text{A}$ at $V_{\text{IN}} = 5.0\text{V}$. The current capability for each channel is $I_{\text{OUT}} = 192\text{mA}$.

At 85°C ambient, the AAT4292 power capability is P_{TOTAL} = 440 - (85 - 25)4.4 = 176mW, then $I_{\text{TOTAL}} \cong 0.85A$ at V_{IN} = 5.0V. The current capability for each channel is I_{OUT} = 121mA.

Output Sequencing

If output sequencing is not necessary, then a pulse burst of 33 address clocks followed by 1 data clock will switch on all of the outputs simultaneously. Alternately, the OUT3 to OUT7 will be switched on simultaneously on the first rising edge of the EN/SET pin after the t_{LAT} timeout.

AAT4292

PRODUCT DATASHEET

Seven Channel High-Side I/O Expander

Output sequencing is accomplished via a series of pulses on the EN/SET pin. Each time a new pulse burst is asserted on EN/SET, the AAT4292 internal clock counter starts to count and sends the counted clock number to the register. After the t_{LAT} timeout, the internal clock counter is reset and waits for the next pulse burst. For example, to sequence the outputs in order from OUT1 to OUT7, seven clock bursts are input on the EN/SET pin. From Table 1 and Table 2, the first bust of 34 address clocks followed by 32 data clocks turns on OUT1. The next burst of 33 address clocks followed by 32 data clocks will add OUT2. Then the burst of 33 address clocks followed by 16 data clocks will add OUT3; the burst of 33 address clocks followed by 8 data clocks will add OUT4; the burst of 33 address clocks followed by 4 data clocks will add OUT5; the burst of 33 address clocks followed by 2 data clocks will add OUT6; the burst of 33 address clocks followed by 1 data clock will add OUT7. Likewise, the outputs can be turned on/off in any order by adding the corresponding clock bursts.

Input Capacitor

Normally, the input capacitor value could be ten times that of the total load capacitors. If the device outputs OUT1 to OUT7 have capacitor loads, depending on the load capacitor value, it is recommended that a 1μ F to 10μ F 0603 or 0805 ceramic capacitor be placed as close as possible between VIN and GND. For example, if the capacitor load at each output is 0.1μ F, the Murata GRM21BR61C106K ceramic capacitor (10μ F/16V/0805/X5R) or a similar capacitor could be used. This helps to provide a low impendence loop to charge the load capacitors during the MOSFET switches' turn-on transient and keep the V_{IN} voltage stable.



AAT4292

SmartSwitch™

Seven Channel High-Side I/O Expander

Timing Diagram





Application Circuits







AAT4292

Seven Channel High-Side I/O Expander







Evaluation Board Schematic







SmartSwitch™

Seven Channel High-Side I/O Expander

Evaluation Board Layout



Figure 5: AAT4292 Evaluation Board Layout Top Layer (not to scale).



Figure 6: AAT4292 Evaluation Board Layout Bottom Layer (not to scale).





SmartSwitch™

Seven Channel High-Side I/O Expander

Ordering Information

Package	Marking ¹	Part Number (Tape & Reel) ²
SC70JW-10	4WXYY	AAT4292IJQ-T1



All AnalogicTech products are offered in Pb-free packaging. The term "Pb-free" means semiconductor products that are in compliance with current RoHS standards, including the requirement that lead not exceed 0.1% by weight in homogeneous materials. For more information, please visit our website at http://www.analogictech.com/about/quality.aspx.

Packaging Information



SC70JW-10



Side View

All dimensions in millimeters.

1. XYY= assembly and date code.

^{2.} Sample stock is generally held on part numbers listed in **BOLD**.



SmartSwitch





Seven Channel High-Side I/O Expander

Advanced Analogic Technologies, Inc. 3230 Scott Boulevard, Santa Clara, CA 95054 Phone (408) 737-4600 Fax (408) 737-4611



© Advanced Analogic Technologies, Inc.

© Advanced Analogic Technologies, Inc.
AnalogicTech cannot assume responsibility for use of any circuitry other than circuitry entirely embodied in an AnalogicTech product. No circuit patent licenses, copyrights, mask work rights, or other intellectual property rights are implied. AnalogicTech reserves the right to make changes to their products or specifications or to discontinue any product or service without notice. Except as provided in AnalogicTech is terms and conditions of sale, AnalogicTech assume responsibility of intervent and AnalogicTech disclaims any express or implied warranty relating to the sale and/or use of AnalogicTech resorves applications, adequate design and operating safeguards must be provided by the customer to minimize inherent or procedural hazards. Testing and other quality control techniques are utilized to the extent AnalogicTech deems necessarily performed. AnalogicTech logo are trademarks of Advanced Analogic Technologies Incorporated. All other brand product names appearing in this document are registered trademarks of their respective holders.