



■ PIN CONFIGURATIONS



■ BLOCK DIAGRAM



T78041

LINEAR INTEGRATED CIRCUIT

■ ABSOLUTE MAXIMUM RATINGS

PARAMETER	SYMBOL	RATINGS	UNIT
Supply Voltage (pin 2 to Pin4)	V _{CC2}	34	V
Output Supply Voltage (pin 6 to Pin4)	V _{CC6}	70	V
Output Peak Current	I _{5MAX}	-1.5 ~ +1.5	A
Power Dissipation	P _D	9	W
Junction Temperature	T _J	150	°C
Operating Temperature	T _{OPR}	-20 ~ +85	°C
Storage Temperature	T _{STG}	-40 ~ +150	°C

Note: Absolute maximum ratings are those values beyond which the device could be permanently damaged. Absolute maximum ratings are stress ratings only and functional device operation is not implied.

■ THERMAL DATA


PARAMETER	SYMBOL	RATINGS	UNIT
Thermal Resistance Junction-Case	θ_{JC}	3.0	°C/W

■ ELECTRICAL CHARACTERISTICS (Ta=25°C, V_{CC}=24V, unless otherwise specified)


PARAMETER	SYMBOL	TEST CONDITIONS	MIN.	TYP.	MAX.	UNIT
Supply Voltage	V _{CC}		16	24	33	V
Quiescent Current	I _Q		35	-	65	mA
Recommend Biggest Deflect Current	I _{5P-P}				2.2	A
Output Saturated Voltage to GND	V _{5L}	I ₅ =1.1A			1.5	V
Output Saturated Voltage to Supply	V _{5H}	I ₅ =-1.1A			3.5	V
Pin 3 Saturation Voltage to GND	V _{3L}	I ₃ =20mA			1.8	V
Pin 3 Saturation Voltage to GND (Return to Sweep the Second Part)	V ₃₍₂₎	I ₃ =-1.1A			3.2	V
Output Middle Point Voltage	V _{O(MID)}		11	12	13	V
Thermal Shutdown Temperature				140		°C

APPLICATION CIRCUIT

For AC Coupling (Single Power Supply)



For DC Coupling (Dual Power Supply)



UTC assumes no responsibility for equipment failures that result from using products at values that exceed, even momentarily, rated values (such as maximum ratings, operating condition ranges, or other parameters) listed in products specifications of any and all UTC products described or contained herein. UTC products are not designed for use in life support appliances, devices or systems where malfunction of these products can be reasonably expected to result in personal injury. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice.