

Providing Engineered Solutions for Your Plastic Component Needs

## **Products**

## Knobs

- Handles
- Instrument Cases & Covers
- Handwheels
- Two Shot / Soft Touch

## Phenolic Bar / "T" Knobs

We currently have over 20 different shapes of bar knobs available! No matter what your application may be, a bar knob is perfect for your clamping needs!

- Varieties available in both thermoplastic and phenolic materials.
- Sizes ranging from 1-1/32" to 3-3/8" in diameter.
- Female insert, projecting stud and thru-hole options are available. Please see the chart below for a complete list of our capabilities for each part number.
- Knobs can be <u>decorated or customized</u> to your specific need.
- Can't find what you're looking for? <u>Contact us</u> today to learn about our <u>custom molding</u> options.













3091

2030/2031 2032/2033



3093







3092




3098

THREADED INSERT THR'D INS







	20		w					Fe		we ale			rt						Thi													em I-H			
		Α	В		C	F	Γ	Π		_	0	t	L	L.		Т	Т	L	5	æ	4			_		Τ	Τ	T		a a	4	1		~	
Material Type	Part No.	Dia.	Current Part Height	Part Height Capab.	Hub Dia.	8-32	10-24	10-32	1/4-20	1/4-25	2414	3/8-16	3/8-24	1-2/13	1/2-2(	8-32	10-24	X-01	1/4-28	5/16-1	5/16-2	3/8-16	3/8-2/	1-2/18	1/2-20	8-32	10-24	10-32	2-4/1	5/16-1	5/162		3/8-24		02-2/1
TP	2030	2 1/2	3,4	.750-1.00	3/4						4																A.			۸.			۸		
TP	2031	2 1/2	1	.750-1.00	3/4						a a																<u>6.</u>			Δ.	A				
TP	2032	2 1/2	3/4	.750-1.00	3/4													<b>A</b>																	
TP	2033	2 1/2	1	.750-1.00	3/4							Τ																							
TP	2034	2 1/2	1 1/4	N/A	1/2	۰	۸				Τ	Τ	Τ		1			۸.									۵.	A /	۵.	h.		Γ			
TP	3087	1 1/8	23/32, 1, 17/32	.700-1.250	1/2	*		*			6. A	•								*	*					*		<b>A</b>		A. A		•			
TP	3088	2 1/2	45/64, 1 1/8 1 1/4	.700-1.250	3/4	۵	-	۵.		*							<b>A</b>	<b>.</b>			-					*		۵.				-	*		
TP	3089	2	3/4, 1 1/8, 1 9/16, 1 3/4	.750-1.750	3/4			*													•							•							
TP	3091	1 1/2	3,4	N/A	3/4		۸				a a			۸										۸			۵.			Δ.					
TP	3093	3	1 1 1/64	N/A	25/32	۰	۵				a a		٨	۵	۸			<b>A</b>									۵.	۸.		Δ.	A		۵		٠
TP	3094	3 1/2	1 1/8	N/A	15/16						a a							۸.									<b>A</b>	A 4	h.						
TP	3098	3 3/8	1	N/A	1 1/8																										I				
TS	3090	2	3/4, 25/32, 51/64, 1 1/8	.656-1.25	3/4	▲		*								▲.	<b>A</b>							<b>A</b>		<b>A</b>	A. /	<b>A</b>							
TS	3092	21/2	1 1/8, 1 5/32	.687-1.156	3/4		۵																				A .	<b>A</b>						۸	
TS	3085	1 1/8	3/4, 7/8, 59/64, 1 1/4	.656-1.309	1/2				-	A /	A. A																		4						

For parts with male studs. LENGTH projecting below knob must be specified. Currently Manufacture/Tooled Could Manufacture/Requires Tooling

TS Thermoset Thermoplastic



2022



2084





2520/2530



2020



3082

3084



2510


3086

3096

3081

3097

PROJECTING STUD А ŧ В С



http://www.daviesmolding.com/standard-products/plastic-knobs/bar-T-knobs/default.html?\_cmxprint=1

1/4-20   1/4-28   1/

Davies Molding, L.L.C. | 350 Kehoe Blvd. | Carol Stream, IL 60188-1818 | Phone: 800-554-9208 | Fax: 630-510-9944