

DISSTON HOLESAWS



5000 SERIES
PRO-Select
Bi-Metal
4/6 Variable
Tooth Design
- Fast cut



Carbide Tipped
PRO-Select
Deep Cut

4/6 VARIABLE TOOTH DESIGN - 'FAST CUT'


- CUTS UP TO 40% FASTER THAN CONVENTIONAL BI-METAL HOLESAWS
- LOWER FEED PRESSURE - IDEAL FOR HIGHER RPM OF TODAY'S PORTABLE DRILLS
- CLEARS CUT FASTER, STAYING SHARPER LONGER - SAVES TIME AND MONEY
- THICKER STEEL BACK - PREVENTS SCREW STRIPPAGE
- CUTS STAINLESS STEEL, TOOL STEEL, CAST IRON, ALUMINIUM, BRASS, WOOD AND PLASTIC
- USED IN ELECTRICAL, BUILDING, PLUMBING AND AUTOMOTIVE TRADES AND INDUSTRIAL PRODUCTION AND MAINTENANCE
- 1 1/8" DEPTH OF CUT - 51 SIZES - BOXED OR CARDED FOR DISPLAY
- ARBORS INTERCHANGEABLE WITH ALL MAJOR HOLESAW BRANDS

CARBIDE TIPPED DEEP CUT HOLESAWS

- LASTS UP TO FIVE TIMES LONGER THAN CONVENTIONAL HOLESAWS
- CUTS LAMINATED CONTIBOARD, GLASS FIBRE, PLYWOOD, INSULATION BOARD, INSULATION BLOCKS AND CERAMIC TILES
- 1 1/8" DEPTH OF CUT - 14 SIZES - 3 TPI
- ARBORS INTERCHANGEABLE WITH ALL MAJOR HOLESAW BRANDS

ARBORS (MANDRELS)

- OUR ARBORS ARE INTERCHANGEABLE WITH ALL NATIONAL BRANDS
- EIGHT MODELS COMPLETE WITH 6.5 (1/4") SPLIT POINT HSS PILOT DRILL WHICH ADJUSTS TO 3 LENGTHS, (5885 AND 5889 MODELS HAVE A SHORTER NON-ADJUSTABLE DRILL)
- QUICK CHANGE MODELS 5204 5887 PERMIT INSTANT CHANGE OF HOLESAWS WITHOUT REMOVING ARBOR FROM CHUCK. DRIVE PINS ALLOW MORE TORQUE = FASTER CUTTING SPEEDS = LONGER SAW LIFE
- ARBORS ARE FULLY HEAT TREATED FOR MAXIMUM WEAR RESISTANCE. THEIR SHANKS FIT ANY TWO OR THREE JAWED DRILL CHUCK



SPECIFICATION - ARBORS


DISSTON CODE NO.	STARRETT	SANDVIK	FITS HOLESAW SIZES in (mm)	CHUCK SIZE in (mm)	SHANK SIZE in (mm)
D5884	A4	ARBR-630	9/16 (14) - 1 3/16 (30)	1/4 (6.5)	1/4 (6.5) Round
D5889	-	-	9/16 (14) - 1 3/16 (30)	1/4 (6.5) 3/8 (9.5) 1/2 (13)	1/4 (6.5) Universal
D5885	-	-	1 1/4 (32) - 2 (51)	1/4 (6.5) 3/8 (9.5) 1/2 (13)	1/4 (6.5) Universal
D5886	A11	ARBR-1130	9/16 (14) - 1 3/16 (30)	1/2 (13)	7/16 (11) Hex
D5203	A1	ARBR-930	9/16 (14) - 1 3/16 (30)	3/8 (9.5)	3/8 (9.5) Hex
			1 1/4 (32) - 2 1/2 (64)	1/2 (13)	7/16 (11) Hex
			1 1/4 (32) - 2 1/2 (64)	1/2 (13)	7/16 (11) Hex Quick Change

SAWS AND ARBORS


4/6 VARIABLE TOOTH HOLESAW KITS ALL COMPLETE IN HEAVY DUTY POLYETHYLENE CASES




D9595 HANDIMAN KIT
Contains five popular bi-metal HSS holesaws, diameters $\frac{7}{8}$ ", 1", $1\frac{1}{8}$ ", $1\frac{1}{4}$ ", $1\frac{1}{2}$ " (22mm, 25mm, 29mm, 32mm, 38mm) D5884 arbor + adaptor D5511.




D9592 PLUMBERS KIT
Contains holesaw sizes $\frac{3}{4}$ ", $\frac{7}{8}$ ", $1\frac{1}{8}$ ", $1\frac{1}{2}$ ", $1\frac{3}{4}$ ", $2\frac{1}{4}$ " (19mm, 22mm, 29mm, 38mm, 44mm, 57mm) arbors D5884, D5204 + D5511 arbor adaptor



D9596 ELECTRICIANS & PLUMBERS TRADESMANS KIT
Contains holesaw sizes $\frac{3}{4}$ ", $\frac{7}{8}$ ", $1\frac{1}{8}$ ", $1\frac{3}{8}$ ", $1\frac{1}{2}$ ", $1\frac{3}{4}$ ", 2", $2\frac{1}{4}$ ", $2\frac{1}{2}$ " (19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm) arbors D5884, D5204 + D5511, adaptor, $\frac{1}{4}$ " pilot drill D8535



D9593 ELECTRICIANS KIT
Contains holesaw sizes $\frac{5}{8}$ ", $\frac{25}{32}$ ", 1", $1\frac{1}{4}$ " $1\frac{3}{16}$ ", 2" (16mm, 20mm, 25mm, 32mm, 40mm, 51mm) arbor D5884, D5204 + D5511 arbor adaptor



D9599 INDUSTRIAL MAINTENANCE KIT
Contains holesaw sizes $\frac{3}{4}$ ", $\frac{7}{8}$ ", $1\frac{1}{8}$ ", $1\frac{3}{8}$ ", $1\frac{1}{2}$ ", $1\frac{3}{4}$ ", 2", $2\frac{1}{4}$ " (19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm) $2\frac{1}{2}$ ", 3", $3\frac{1}{4}$ ", $3\frac{5}{8}$ ", $3\frac{3}{4}$ ", $4\frac{1}{8}$ ", $4\frac{1}{2}$ " (64mm, 76mm, 83mm, 92mm, 95mm, 104mm, 114mm) arbors D5884, D5204 + D5511 arbor adaptor, $\frac{1}{4}$ " (6.5) pilot drill D8535 + D5500 12" extension


ACCESSORIES



5884B



5889B
Positive
Locking



5885B
Positive
Locking




5886B



5203BC



5201BC



5204BC
Quick
Change



5887B
Quick
Change



D5511

- D5500 12" Extension fits all arbors except D5885 and D5887. Arbors D5809 and D5885 require extension adaptor D5502.
- D5511 Arbor adaptor - threaded adaptor and washer allows arbors D5884 and D5886 to be used with $1\frac{1}{4}$ " to $1\frac{1}{2}$ " holesaws.
- D8534 $\frac{1}{4}$ " drill - short series use with D5889, D5885, D5203 arbors.
- D8535 $\frac{1}{4}$ " drill - long series - fits all Disston arbors except D5889, D5885 and D5203.
- D5506 Drive plate - used between holesaws and arbor recommended for light-medium torque applications - not recommended for 3" and over holesaws.
- SS1 Arbor set screw - for all arbors except D5204 and D5887.
- SS2 Arbor set screw - for arbors D5204 and

SIZES		PRODUCT NUMBER			PIPE SIZING	
DIAMETER INCHES	MM	PIPE VARIABLE BORES	PIPE VARIABLE BORES RIBBED	PIPE VARIABLE BORES RIBBED	PIPE VARIABLE BORES RIBBED	PIPE VARIABLE BORES RIBBED
1/16	14	5855B				
3/16	16	5856B	5856C			
11/16	17	5857B				
3/4	19	5127B	5127C	5170C		
25/32	20	5888B	5888C			
13/16	21	5858B				
7/8	22	5128B	5128C	5890B	3/4	1/2
15/16	24	5859B				
1	25	5197B	5197C	5171C		
1 1/16	27	5860B				
1 1/8	29	5130B	5130C	5891B	1	3/4
1 3/16	30	5861B				
1 1/4	32	5131B	5131C	5172C		
1 5/16	33	5862B				
1 3/8	35	5132B	5132C	5892B		1
1 7/16	37	5863B				
1 1/2	38	5198B	5198C	5173C	1 1/4	
1 9/16	40	5864B				
1 5/8	41	5133B	5133C			
1 11/16	43	5865B				
1 3/4	44	5134B	5134C	5174C	1 1/2	1 1/4
1 13/16	46	5866B				
1 7/8	48	5135B	5135C			
2	51	5136B	5136C	5175C		1 1/2
2 1/16	52	5867B				
2 1/8	54	5199B	5199C			
2 1/4	57	5137B	5137C	5176C	2	
2 3/16	59	5868B				
2 3/8	60	5139B	5139C			
2 1/2	64	5138B	5138C	5177C		2
2 9/16	65	5869B				
2 5/8	67	5870B				
2 3/4	* 70	5871B				
2 7/8	73	5872B				
3	76	5150B	5150C	5893B		2 1/2
3 1/8	79	5873B				
3 1/4	83	5874B				
3 3/8	86	5875B				
3 1/2	89	5151B		5894B		
3 5/8	92	5876B			3 1/2	3
3 3/4	95	5877B				
3 7/8	98	5878B				
4	102	5152B				
4 1/8	105	5879B				
4 1/4	108	5880B		5895B		
4 3/8	111	5881B				
4 1/2	114	5153B				4
4 3/4	121	5882B			4 1/2	
5	127	5154B				
5 1/2	140	5155B			5	
5 3/4	146	5883B				
6	152	5156B				

* SOFFIT SIZE = 70mm 2 3/4"

