


# Low Level and General Purpose Amplifiers

TYPE NO.	POLARITY	CASE	MAXIMUM RATINGS			H <sub>FE</sub>				V <sub>CE(SAT)</sub>		f <sub>T</sub> min (MHz)	Cob max (pF)	N.F. max (dB)
			P <sub>d</sub> (mW)	I <sub>C</sub> (mA)	V <sub>CEO</sub> (V)	min	max	I <sub>C</sub> (mA)	V <sub>CE</sub> (V)	max (V)	I <sub>C</sub> (mA)			
BC 107	N	TO-18	300	100	45	110	450 #	2	5	0.6	100	150	6	10
BC 108	N	TO-18	300	100	20	110	800 #	2	5	0.6	100	150	6	10
BC 109	N	TO-18	300	100	20	110	800 #	2	5	0.6	100	150	6	4
BC 110	N	TO-18	300	50	80	30	-	2	5	0.6	50	100+	5	-
BC 113	N	TO-106	200	50	25	200	1000	1	5	0.35	1	60	4	3
BC 114	N	TO-106	200	50	25	200	1000	1	5	0.35	1	70	4	3
BC 132	N	TO-106	200	50	25	60	300	1	10	0.35	1	4C	4	-
BC 147	N	TO-92F	350	100	45	100	450 #	2	5	0.6	100	200+	4.5	10
BC 148	N	TO-92F	350	100	20	110	800 #	2	5	0.6	100	200+	4.5	10
BC 149	N	TO-92F	350	100	20	200	800 #	2	5	0.6	100	200+	4.5	10
BC 135	P	TO-106	200	100	40	50	-	10	5	0.25	10	70+	4+	1+
BC 154	P	TO-106	200	100	40	160	-	10	5	0.25	10	70+	4+	2.5
BC 157	P	TO-92F	350	100	45	110	450 #	2	5	0.3	10	150+	3.5+	10
BC 158	P	TO-92F	350	100	25	110	800 #	2	5	0.3	10	150+	3.5+	10
BC 159	P	TO-92F	350	100	20	200	800 #	2	5	0.3	10	150+	3.5+	4
BC 167	N	TO-92B	300	100	45	110	450 #	2	5	0.6	100	150	4.5	10
BC 168	N	TO-92B	300	100	20	110	800 #	2	5	0.6	100	150	4.5	10
BC 169	N	TO-92B	300	100	20	200	800 #	2	5	0.6	100	150+	4.5	4
BC 170	N	TO-92F	300	100	20	36	600 #	1	1	0.25	1	100+	4+	10
BC 171	N	TO-92F	300	100	45	125	500 ▲#	2	5	0.6	100	150	6	10
BC 172	N	TO-92F	300	100	25	125	900 ▲#	2	5	0.6	100	150	6	10
BC 173	N	TO-92F	300	100	25	125	900 ▲#	2	5	0.6	100	150	6	10
BC 174	N	TO-92F	300	100	64	110	800 #	2	5	0.6	100	150	10	10
BC 177	P	TO-18	300	100	45	70	450 #	2	5	0.3	10	150	7	10
BC 178	P	TO-18	300	100	25	70	800 #	2	5	0.3	10	100	7	10
BC 179	P	TO-18	300	100	25	200	800 #	2	5	0.3	10	100	7	4
BC 181	P	TO-92F	300	200	25	60	-	2.5	5	0.25	50	150+	4.7+	-
BC 182	N	TO-92F	300	200	50	110	450 #	2	5	0.6	100	150	5	10
BC 182L	N	TO-92B	300	200	50	110	450 #	2	5	0.6	100	150	5	10
BC 183	N	TO-92F	300	200	30	110	800 #	2	5	0.6	100	150	5	10
BC 183L	N	TO-92B	300	200	30	110	800 #	2	5	0.6	100	150	5	10
BC 184	N	TO-92F	300	200	30	200	800 #	2	5	0.6	100	150	5	4
BC 184L	N	TO-92B	300	200	30	200	800 #	2	5	0.6	100	150	5	4
BC 186	P	TO-18	300	100	25	40	200	2	5	0.5	50	50	-	10
BC 187	P	TO-18	300	100	25	100	500	2	5	0.5	50	150+	3.5+	10
BC 190	N	TO-18	300	100	64	125	500 #	2	5	0.6	100	200+	6	10
BC 192	P	TO-18	400	500	25	60	180	50	5	0.25	50	100	12	-
BC 204	P	TO-106	300	100	45	70	450 #	2	5	0.3	10	100	4	10
BC 205	P	TO-106	300	100	20	70	800 #	2	5	0.3	10	100	4	10
BC 206	P	TO-106	300	100	20	200	800 #	2	5	0.3	10	100	4	4
BC 207	N	TO-106	300	100	45	110	450 #	2	5	0.6	100	150	6	10
BC 208	N	TO-106	300	100	25	110	800 #	2	5	0.6	100	150	6	10
BC 209	N	TO-106	300	100	25	200	800 #	2	5	0.6	100	150	6	4
BC 212	P	TO-92F	300	200	50	100	400 ▲#	2	5	0.6	100	100	10	10
BC 212L	P	TO-92B	300	200	50	100	400 ▲#	2	5	0.6	100	100	10	10
BC 213	P	TO-92F	300	200	30	100	600 ▲#	2	5	0.6	100	100	10	10
BC 213L	P	TO-92B	300	200	30	100	600 ▲#	2	5	0.6	100	100	10	10
BC 214	P	TO-92F	300	200	30	200	600 ▲#	2	5	0.6	150	150	10	2
BC 214L	P	TO-92B	300	200	30	200	600 ▲#	2	5	0.6	100	150	10	2
BC 224	P	TO-92B	250	30	30	150	450	1	5	0.7	10	150+	3.5+	-
BC 225	P	TO-106	200	100	40	90	-	10	5	0.25	10	100	8	-
BC 237	N	TO-92F	300	100	45	110	450 #	2	5	0.6	100	150	4.5	10
BC 238	N	TO-92F	300	100	20	110	800 #	2	5	0.6	100	150	4.5	10
BC 239	N	TO-92F	300	100	20	200	800 #	2	5	0.6	100	150	4.5	4
BC 250	P	TO-92F	300	100	20	35	600 #	1	1	0.4+	30	100	6	-



# Mechanical Outlines










**TO-92**




LEAD CODE	1	2	3
A	E	B	C
B	E	C	B
C	B	E	C
D	B	C	E
E*	C	E	B
F*	C	B	E
BA*	K	A	G
BF*	A	G	K
DA	S	G	D
DB	S	D	G
DC	D	G	S
DD	D	S	G
DE*	G	S	D
DF*	G	D	S
VOLTAGE REGULATOR			
D	O	G	L

\*ALL LEAD FORM TO MELF-001 UNLESS OTHERWISE NOTED.






**TO-92 LEAD FORM**



# Mechanical Outlines



# Mechanical Outlines



ALL DIMENSIONS IN mm

