MB89475 Single-Chip MCU Data Release Form (WG)

			MDS-894-0010E Rev 1.0
Customer Name		Customer Contact	电子市场间 www.bzsc.com
Customer Part No.	电子市技励 www.bzsc.com	AND SEELES	
Fujitsu Part No.		Application	一世扬网
MB89475		10-41-15-	WWW.DZSC.COM
New Release Update of Previous MB89475 -	WWW.DISG.COM	Automobile Eng Automobile Non Non-Automobile	-Engine Use (1)
Mask Option Item	Contents of	Selection	Notes
Package Type	(0) SH-DIP-48 (1) LQFP	S. ZIE	
Mask ROM Data			ROL Address (Fujitsu Internal use) 4 0 0 0 H H H 7 F F F H H
Power On Reset (POR)	(0) No (1) Yes (2 ¹⁷ /fch)		

Mask Option Item	Contents of Selection	Notes
Main Clock Oscillation Type (OSC)	$\begin{array}{c c} (1) & 2^{14}/f_{Ch} \\ \hline (2) & 2^{17}/f_{Ch} \\ \hline (3) & 2^{18}/f_{Ch} \end{array}$	
	Crystal Resonator Ceramic Resonator FAR Resonator	
Clock Mode (CLK)	(0) Single Clock (1) Dual Clock	
Operation Frequency	Clock:MHz	The frequency written here is regarded as the guaranteed operating frequency.
Stop Mode	(0) No (1) Yes	

Marking Form		Customer Spec No.	
Standard (See below:) (0)	·	(Operating temperature., Operating supp	ly voltage,
Special (1)		Supply current, etc.)	
* Engineering samples have Standard marking			
with "ES" mark.			
Fujitsu Part No.		Electrical Spec	
		Standard	
		Special	
		_	
FILens		Machaniael Cusa	
FJ Logo)	Mechanical Spec	
E JAPAN	<u>F</u> JAPAN ▼ Country of Origin		
MB89475 ← Fujitsu Pa	art No.	Special	
YYYY Program			
ZZZZ ZZZ Control C	ode		
D. 11. 0. 1		Quality/Reliability	
Date Cod	е	(Burn-in, Screening. etc.)	
- The height of Fujitsu Logo is 2.0mm.		(Barrini, Corcerning, Clo.)	
- The other character except FJ logo is	s the gothic	Standard	
font and the height is the 1.2mm.		Special	
- The Control and Date Codes are the			
alphanumeric characters. - The Program Code No. is assigned by Fujitsu.		Other Special Requirements	
		(0)	
		(Special marking proposal form etc.)	

Single-Chip MCU Data Release Form (F²MC-8L)

	Rev.6.1 February 1994	
Sample Requirement	Order Type	
Engineering Samples (ES) Free Engineering Samples:	Non-Risk Order *1 (ROM verification is skipped)	
(Included in mask charge)	Risk Order *1 (ES confirmation is skipped.)	
Quantity <u>:</u> Units	Notes:	
Req'd FLT Date <u>: / /</u> (MM/DD/YY)	*1 Refer to the next Page	
Charged Engineering Sample (Additional ES)	Application Sales Price:	
Quantity <u>:</u> Units	(Including initial Ten Units of Engineering Samples)	
Req'd FLT Date <u>: / /</u> (MM/DD/YY)	Committed	
Samples PriceUnit	Issued (P/O:	
Package Type:	Production Info.	
☐ Expected ☐ Committed (P/O:)	Production Start: Production End: (MM/DD/YY) (MM/DD/YY) / / to / /	
Charged Commercial Samples (CS)		
Quantity <u>:</u> Units	Initial Production: Expected Units / Month Committed	
Req'd FLT Date <u>: / /</u> (MM/DD/YY) Samples Price Unit	Production Rate:	
Expected Committed (P/O:	Total Production:	
	(Years)	
Originated by	Production Info.	
Signature:	FMI/FMG/FMAP/FDI: Kawasaki:	
Title : ———	PMM:	
Date :	PME: Kawasaki:	
	Scheduler:	

Fujitsu declares that Fujitsu not disclose / sell your software and its mask ROM to a third party. However, even if its software from a third party may be completely or nearly the same with yours, Fujitsu doesn't assume any responsibility. In that case, whenever you find the software from a concerned third party infringe upon your right, Fujitsu concludes you have to settle an infringement problem with a concerned third party.

Single-Chip MCU Data Release Form

Rev.7.2

Aug 2001

Notice

1.PROGRAM ROM DATA

- The data format should be Intel HEX (except Intel extended hex), Motorola S1, or Motorola S2 formats. (Recommended Motorola S1/S2). And it should not have offset address.
- The diskette save in the program ROM data is DOS 3.5 inch diskette (1.44MB). Or, electrical readable file (plain text) sending through e-mail.
- The program ROM data should be filled in by the customer for all addresses from the START ADDRESS to the END ADDRESS. If the Physical Program ROM contains unused addresses after the END AD-DRESS, the remainder of the unused addresses will be filled by default to FFH by Fujitsu
- Fujitsu will sending back confirmation data in Motorola format which has processed and converted for Fujitsu's fabrication use. You may need simple offset adjustment requires at your confirmation.

2.SAMPLES

- ES (Engineering Sample) is guaranteed only for functional/electrical characteristics. Therefore, ES should not be used for reliability test. Also, marking form for ES is Fujitsu STANDARD unless otherwise requested
- CS (Commercial Sample) is guaranteed for reliability equivalent to that of production parts.

3.ORDER TYPE

Non-Risk Order
 Risk Order
 :FJ makes ES after data release and starts production after ROM verification.
 :FJ starts production after ROM code confirmation. (ES confirmation is skipped.

4.CHANGING AFTER DATA RELEASE

If change required of released data, we will remake mask from the beginning. In such case, another mask charge and corrected DATA RELEASE FORM is necessary.

5.SOFTWARE AND ROM RIGHT

Fujitsu declares that Fujitsu not disclose / sell your software and its mask ROM to a third party. However, even if its software from a third party may be completely or nearly the same with yours, Fujitsu doesn't assume any responsibility. In that case, whenever you find the software from a concerned third party infringe upon your right, Fujtisu concludes you have to settle an infringement problem with a concerned third party.