






























































































PLATO

Plato® Tips to fit Hakko® 702, 703, 703B, 926, 927, 928, 933, 936, 937 Soldering Stations with Handpiece M926, 900M or 907 ESD, and O.K. Industries® SA1000 Station with SAI-640 Handpiece

Hakko®	Plato®	PLATO TIP & ORDER NUMBER		
900M-T-1C	HS-5701	 HS-5701	$3/64"$ (1.2)	
900M-T-1.5CF	HS-5861	 HS-5861 Tin on flat only	$.059"$ (1.5)	
900M-T-2C	HS-5702	 HS-5702	$5/64"$ (2.0)	
900M-T-3C	HS-5703	 HS-5703	$1/8"$ (3.0)	
900M-T-4C	HS-5875	 HS-5875	$5/32"$ (4.0)	
900M-T-0.2RB	HS-4791	 HS-4791	$0.016"$ (0.4)	
900M-T-0.5C	HS-5715	 HS-5715	$.019"$ (0.5)	
900M-T-0.8C	HS-5716	 HS-5716	$.032"$ (0.8)	
900M-T-0.8D	HS-2863	 HS-2863	$1/32"$ (0.8)	 $0.019"$ (0.5)
900M-T-1.2D 900M-T-S1	HS-2796	 HS-2796	$3/64"$ (1.2)	

900M-T-1.6D	HS-2751	 <p>HS-2751</p>	 <p>1/16" (1.6)</p>	
900M-T-1.8H	HS-0926	 <p>HS-0926</p>	 <p>20 0.04" (1.0)</p>	 <p>0.07" (1.8)</p>
900M-T-2.4D	HS-2752	 <p>HS-2752</p>	 <p>3/32" (2.4)</p>	
900M-T-3.2D	HS-2753	 <p>HS-2753</p>	 <p>1/8" (3.2)</p>	
900M-T-1.2LD	HS-6030	 <p>HS-6030</p>	 <p>3/64" (1.2)</p>	 <p>0.031" (.7)</p>
900M-T-2LD	HS-6092	 <p>HS-6092</p>	 <p>5/64" (2.0)</p>	 <p>0.025" (.6)</p>
900M-T-3.2LD	HS-6093	 <p>HS-6093</p>	 <p>1/8" (3.2)</p>	 <p>0.05" (1.3)</p>
900M-T-B	HS-4785	 <p>HS-4785</p>	 <p>.040" (1.0)</p> <p>.250" TIN LENGTH</p>	
---	HS-8179	 <p>HS-8179</p>	 <p>.040" (1.0)</p> <p>.300" TIN LENGTH</p>	 <p>Same as HS-4785 except with .300" tin length</p>
900M-T-H	HS-0925	 <p>HS-0925</p>	 <p>30 1/16" (1.6)</p>	 <p>9/64" (3.5)</p>
900M-T-I	HS-4787	 <p>HS-4787</p>	 <p>1/64" (0.8)</p>	
900M-T-K	HS-0927	 <p>HS-0927</p>	 <p>3/16" (4.7) 1/4" (6.3)</p>	 <p>.010" (0.2) SMD Blade Tip to solder SOIC & PLCC</p>
900M-T-LB	HS-4786	 <p>HS-4786</p>	 <p>1/64" (0.4)</p>	

900M-T-R	HS-0923		$1/8"$ (3.2)			SMD Chip Tip	
900M-T-RT	HS-0924		$5/64"$ (2.0)			SMD Chip Tip	
900M-T-SB	HS-4792		$.016"$ (0.4)				
900M-T-SMD	HS-4988		$.008"$ (0.2)				
900M-T-S3	HS-1665		$13/64"$ (5.2)			$.040"$ (1.0)	
900M-T-S4	HS-8175		$.008"$ (0.2)				
900M-T-S5	HS-8157		$1/64"$ (0.4)				
900M-T-S6	HS-5827		$.050"$ (1.3)				
900M-T-S7	HS-5826		$.046"$ (1.2)				
---	HS-0530		$.128"$ (3.3)	$.118"$ (3.0)			Plato® SMD Flow Tip
---	HS-0531		$.195"$ (5.0)	$.135"$ (3.4)			Plato® SMD Flow Tip
							Typical Tip Drawing

***Tip Drawings Are Not Actual Size**

All points are 1/32" (0.8) thick unless otherwise noted. () = mm

Tip samples are available,