


SWITCHING APPLICATION.
INTERFACE CIRCUIT AND DRIVER CIRCUIT APPLICATION.

FEATURES


- With Built-in Bias Resistors.
- Simplify Circuit Design.
- Reduce a Quantity of Parts and Manufacturing Process.
- High Packing Density.

EQUIVALENT CIRCUIT




BIAS RESISTOR VALUES

TYPE NO.	R1(kΩ)	R2(kΩ)
KRC827U	10	47
KRC828U	22	47
KRC829U	47	22



EQUIVALENT CIRCUIT (TOP VIEW)



MAXIMUM RATING (Ta=25°C)


CHARACTERISTIC	SYMBOL	RATING	UNIT	
Output Voltage	KRC827U~829U	V _O	50	V
Input Voltage	KRC827U	V _I	30, -6	V
	KRC828U		40, -7	
	KRC829U		40, -15	
Output Current	KRC827U~829U	I _O	100	mA
Power Dissipation		P _D *	200	mW
Junction Temperature		T _j	150	°C
Storage Temperature Range		T _{stg}	-55~150	°C

* Total Rating.

MARK SPEC

TYPE	KRC827U	KRC828U	KRC829U
MARK	YH	YI	YJ

Marking









KRC827U~KRC829U

ELECTRICAL CHARACTERISTICS (Ta=25°C)

CHARACTERISTIC		SYMBOL	TEST CONDITION	MIN.	TYP.	MAX.	UNIT		
Output Cut-off Current		KRC827U ~ 829U	$I_{O(OFF)}$	$V_O=50V, V_I=0$	-	-	500	nA	
DC Current Gain	KRC827U	G_I	$V_O=5V, I_O=10mA$	80	150	-			
	KRC828U			80	150	-			
	KRC829U			70	140	-			
Output Voltage		KRC827U ~ 829U	$V_{O(ON)}$	$I_O=10mA, I_I=0.5mA$	-	0.1	0.3	V	
Input Voltage (ON)	KRC827U	$V_{I(ON)}$	$V_O=0.2V, I_O=5mA$	-	1.2	1.8	V		
	KRC828U			-	1.8	2.6			
	KRC829U			-	3.0	5.8			
Input Voltage (OFF)	KRC827U	$V_{I(OFF)}$	$V_O=5V, I_O=0.1mA$	0.5	0.75	-	V		
	KRC828U			0.6	0.88	-			
	KRC829U			1.5	1.82	-			
Transition Frequency		KRC827U ~ 829U	f_T^*	$V_O=10V, I_O=5mA$	-	200	-	MHz	
Input Current	KRC827U	I_I	$V_I=5V$	-	-	0.88	mA		
	KRC828U			-	-	0.36			
	KRC829U			-	-	0.16			
Switching Time	Rise Time	KRC827U	t_r	$V_O=5V, V_{IN}=5V$ $R_L=1k\Omega$	-	0.05	-	μS	
		KRC828U			-	0.12	-		
		KRC829U			-	0.26	-		
	Storage Time	KRC827U			t_{stg}	-	2.0		-
		KRC828U				-	2.4		-
		KRC829U				-	1.5		-
	Fall Time	KRC827U			t_f	-	0.36		-
		KRC828U				-	0.4		-
		KRC829U				-	0.41		-

Note : * Characteristic of Transistor Only.

KRC827U~KRC829U



KRC827U~KRC829U

