



This low profile mount is available in 3 sizes and provides cost effective cable containment and identification for stack heights up to .105". It features a matte, textured surface for either hand written identification or application of computer labels.

Part Number: LPFCM14-A-C14

Product Family: Low Profile Flat Cable Mounts

Product Line: Flat/Ribbon Cable

RoHS Compliancy Status: Compliant

Part Description: Low Profile Flat Cable Mount

Product Type: Mounting Device

Material: Nylon 6.6

Color: Gray

UL Recognized: E136577

Height (In.): .13

Height (mm): 3.4

Length (In.): 2.56

Length (mm):	65.0
Width (In.):	.50
Width (mm):	12.7
Adhesive Type:	Rubber
Cable Width (In.):	1.44
Cable Width (mm):	37
Environment:	Indoors
Max. Flat Cable Width (In.):	1.44
Max. Flat Cable Width (mm):	37.0
Max. Static Load (g):	113
Max. Static Load (Lbs.):	.25
Metric Screw Size:	M3
Mounting Hole Distance (in):	2.00
Mounting Hole Distance (mm):	50.8
Mounting Method:	Adhesive Backed
Screw Size:	#6 (M3)
Std. Pkg. UOM:	PK
UOM:	PC
Std. Pkg. Qty.:	100

Min. Order Qty.:

100