



This low profile mount is available in 3 sizes and provides cost effective cable containment and identification for stack heights up to .105". It features a matte, textured surface for either hand written identification or application of computer labels.

Part Number:	LPFCM34-A-C14
Product Family:	Low Profile Flat Cable Mounts
Product Line:	Flat/Ribbon Cable

RoHS Compliancy Status:	Compliant
-------------------------	-----------

Part Description:	Low Profile Flat Cable Mount
-------------------	------------------------------

Product Type:	Mounting Device
---------------	-----------------

Material:	Nylon 6.6
-----------	-----------

Color:	Gray
--------	------

UL Recognized:	E136577
----------------	---------

Height (In.):	.13
---------------	-----

Height (mm):	3.4
--------------	-----

Length (In.):	4.56
---------------	------

Length (mm):	115.8
Width (In.):	.50
Width (mm):	12.7
Adhesive Type:	Rubber
Cable Width (In.):	3.44
Cable Width (mm):	87
Environment:	Indoors
Max. Flat Cable Width (In.):	3.44
Max. Flat Cable Width (mm):	87.0
Max. Static Load (g):	113
Max. Static Load (Lbs.):	.25
Metric Screw Size:	M3
Mounting Hole Distance (in):	4.00
Mounting Hole Distance (mm):	101.6
Mounting Method:	Adhesive Backed
Screw Size:	#6 (M3)
Std. Pkg. UOM:	PK
UOM:	PC
Std. Pkg. Qty.:	100

Min. Order Qty.: 100