

[查询NSPB300A供应商](#)


















\* Color Coordinates Measurement allowance is  $\pm 0.01$ .




■ Forward Voltage vs. Forward Current




■ Forward Current vs. Relative Luminescence




■ Duty Ratio vs. Allowable Forward Current




■ Ambient Temperature vs. Forward Voltage



■ Ambient Temperature vs. Relative Luminescence



■ Ambient Temperature vs. Allowable Forward Current




NICHIA CORPORATION

Model NSPBxxxx


Title TYP.CHARACTERISTICS

No. 011130109681


■ Spectrum




■ Forward Current vs. Chromaticity Coordinate ( $\lambda_D$ )




■ Ambient Temperature vs. Dominant Wavelength



■ Forward Current vs. Dominant Wavelength



■ Directivity (NSPB300A)




NICHIA CORPORATION

Model NSPB300A

Title TYP.CHARACTERISTICS

No. 011130109701




ITEM	MATERIALS
RESIN(MOLD)	Epoxy Resin
LEAD FRAME	Ag Plating Copper Alloy

Remark:


Bare copper alloy is exposed at tie-bar portion after cutting.  
 The lamps have sharp and hard points that may injure human eyes or fingers etc., so please pay enough care in the handling.


Model	NSPB300A	Unit	mm
Title	OUTLINE DIMENSIONS	3/1	Scale
No.	010831105691	Allow ±0.2	
NICHIA CORPORATION			



<b>NICHIA CORPORATION</b>		Model	NxPxxxxxxx
		Title	PACKING
		No.	031029201103


\* One box contains 8 bags at maximum.






\* One box contains 20 bags at maximum.

<b>NICHIA CORPORATION</b>	Model	NxPxxxxxxx
	Title	PACKING
	No.	031029201123



\* Put this label on the cardboard box B.



Model	NXPXXXXXX
Title	PACKING
No.	031029201133

NICHIA CORPORATION

\* The cardboard box B contains 4 cardboard box A at maximum.