

# Basic PDU / Power Distribution Unit

Safe, reliable power distribution for critical networking equipment



## Model #: PDU1215

- ▶ Designed for standard 19-inch racks (1U high)
- ▶ 12 rear-facing outlets, 1 front-facing outlet
- ▶ 15-ft. cord
- ▶ 15-amp circuit breaker
- ▶ Switchless design

## DESCRIPTION

Tripp Lite's PDU1215 AC power distribution unit offers 15 amp, 120 volt capacity in a versatile multi-mount cabinet. Detachable mounting flanges are configurable for wallmount, under-counter or 1U/0U rackmount installation. Uses only 1 rack space (1U) when installed in any 19 inch rack, with the potential for 0U mounting in the cable management area of most rack enclosures. Detachable flanges with pre-punched access holes and adjustable depth channels allow user configuration in dozens of potential mounting schemes. Attractive housing with all rear-facing outlets measures only 4.5 inches in depth. Unfiltered electrical pass-through without a power switch makes PDU1215 ideal for distributing alternate waveform UPS or generator power in rack enclosures, network closets and more. Includes 12 rear-facing NEMA5-15R outlets and one front-facing, 15-ft. AC power cord, 15 amp circuit breaker, grounding lug and rugged all-metal case design.

PLUG / OUTLETS - Input: NEMA 5-15P / Output: 13 NEMA5-15R (12 rear-facing, one front-facing)

ELECTRICAL - 120V AC, 50/60Hz, 15A (Requires NEMA 5-15R wall receptacle)

FORMAT - Supports 19 in. rackmount (1U/0U), wallmount, under-counter and more

## KEY BUYING POINTS

- Corded AC power distribution unit with 15 amp capacity and 13 AC receptacles
- Versatile all-metal cabinet with detachable mounting flanges allows wallmount, under-counter and 19 inch rackmount mounting in both 1U or zero-U formats
- Detachable flanges with pre-punched access holes and adjustable depth channels allow user configuration in dozens of potential mounting schemes, including zero-U rackmount capability in the cable management area or other available space within a rack enclosure
- Unfiltered electrical pass-through reliably distributes alternate waveform AC power from UPS or generator to supported equipment
- 13 NEMA5-15R output receptacles accept common NEMA5-15 equipment plugs
- 15 foot AC cord NEMA5-15P plug connection
- Switch-free design prevents the potential for accidental shutoff of connected loads
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility

## TYPICAL APPLICATIONS

- Multi-outlet power distribution unit is the ideal means of powering multiple loads in 19 inch rackmount, wallmount and under-counter applications, such as internetworking, PC systems, telecommunications, audio/video, security, sound reinforcement and more. Ideal for distribution of UPS, generator or commercially derived AC power to protected equipment.

## PACKAGE INCLUDES

- PDU1215 Rackmount Power Strip
- Warranty information
- Instruction manual

## COMPLETE SPECIFICATIONS

### SYSTEM OVERVIEW

<b>System overview:</b>	1U rackmount, 0U vertical rackmount, wallmount or under-counter Power Distribution Unit
<b>Voltage compatibility:</b>	120V
<b>Frequency compatibility:</b>	50/60 Hz

### OUTPUT

<b>Output nominal voltage:</b>	120V
<b>Outlet quantity / type:</b>	13 NEMA 5-15R
<b>Overload protection:</b>	15A

### INPUT

<b>Maximum input amps:</b>	15A
<b>Input connection type:</b>	NEMA 5-15P
<b>Input cord length:</b>	15
<b>Recommended electrical service:</b>	15A 120V

### LEDS ALARMS & SWITCHES

<b>Switches:</b>	No power switch
------------------	-----------------

### PHYSICAL

<b>Unit Dimensions (HWD/in):</b>	1.75 (1U) x 17.5 x 4.5
<b>Unit Dimensions (HWD/cm):</b>	4.5 x 44.5 x 11.4
<b>Material of construction:</b>	Sheet metal
<b>Form factors supported:</b>	1U rackmount, 0U vertical rackmount, wall-mount and undercounter installation supported

### CERTIFICATIONS

<b>Certifications:</b>	Tested to UL60950-1 (USA), CSA-C22.2 (Canada)
------------------------	---

### WARRANTY

<b>Product warranty:</b>	Lifetime
--------------------------	----------

### SPECIAL FEATURES

<b>TVSS grounding:</b>	Back panel nut and bolt grounding lug
------------------------	---------------------------------------

*The policy of Tripp Lite is one of continuous improvement.  
Specifications are subject to change without notice.  
Therefore, your product may vary slightly from what is currently listed.*



**Tripp Lite World Headquarters**  
1111 W. 35th Street  
Chicago, IL 60609 USA

**Customer Support**  
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.