


PART NO.		MATERIAL	"A" REF.	"B" REF.	"C" REF.	PANEL THICKNESS RANGE	"GAP" REF.	
SOLID LENGTHS	SERRATED LENGTHS							
NGS-1	SNGS-1	NYLON (RMS-21)	.125 (3.2)	.031 (0.8)	.031 (0.8)	.026-.036 (0.7-0.9)	.018 (0.5)	
NGS-2	SNGS-2		.172 (4.4)		.109 (2.8)	.037-.071 (0.9-1.8)	.037 (0.9)	
NGS-2.5	SNGS-2.5		.188 (4.8)		.250 (6.4)	.072-.105 (1.8-2.7)	.060 (1.5)	
NGS-3	SNGS-3		POLYETHYLENE (RMS-06)	.125 (3.2)	.031 (0.8)	.156 (4.0)	.106-.164 (2.7-4.2)	.106 (2.7)
NGS-4	SNGS-4					.188 (4.8)	.165-.187 (4.2-4.7)	.165 (4.2)
NGS-5	SNGS-5					.250 (6.4)	.188-.250 (4.8-6.4)	.187 (4.8)
PGS-1	SPGS-1	POLYETHYLENE (RMS-06)		.172 (4.4)	.031 (0.8)	.031 (0.8)	.026-.036 (0.7-0.9)	.018 (0.5)
PGS-2	SPGS-2					.109 (2.8)	.037-.071 (0.9-1.8)	.037 (0.9)
PGS-2.5	SPGS-2.5		.156 (4.0)			.072-.105 (1.8-2.7)	.060 (1.5)	
PGS-3	SPGS-3		.188 (4.8)	.047 (1.2)	.106 (4.0)	.106-.164 (2.6-4.2)	.106 (2.7)	
PGS-4	SPGS-4				.188 (4.8)	.165-.187 (4.2-4.7)	.165 (4.2)	
PGS-5	SPGS-5			.250 (6.4)	.188-.250 (4.8-6.4)	.187 (4.8)		



NOTES:

- COLOR: NATURAL OR BLACK;
ADD SUFFIX "B" FOR BLACK
- LENGTH: 100 FT. (3048 cm)

G	RMS-06 WAS RMS-13	DLC 12.11.01	TITLE: GROMMET STRIP-SERIES				DWG IN IN (MM)	
F	REVISED .015/.060 (.4)/(1.5) WAS .015/.055 TABLE CORRECTED PER NGS G PRINT AND CHANGED FROM FRACTIONAL TO DECIMAL	DLC 7/31/01	FILE # NGS				FINAL	
E	CHANGED FILE NO.	SM 07.24.01	TOLERANCES UNLESS NOTED	MAT'L: SEE NOTES	DWN: P.B.	APP:	PART #	
D	TABLE CORRECTED	SM 04.10.01	.XX=±.020	RE: RICHCO, INC.	DT: 06-28-95	DT:	SEE TABLE	
C	ADDED PGSR & SPGR SERIES	JB 07.10.96	.XXX=±.015	RICHCO INC.			PRINT TYPE	
B	CONVERTED TO ACAD	PB 06.28.95	FRAC=±1/64	PO BOX 804238, CHICAGO, 60680			CA	
A	DESCRIPTION	ENGR DATE	ANG=±1°	(773) 539-4060				
REV								