

Customer Name	Standard specification	FUJITSU MEDIA DEVICES LIMITED	
Application	Japan Digital Terrestrial TV (13 segment)		
Center Frequency	57.082 MHz	DATE	Jun. 27 2003
FMD Part Number	SBF0606EPL	Version 1.3	

Table 1 Electrical Specification (Ta=25(45)°C)

Items	Conditions	Specification			Unit	Remarks
		Min.	Typ.	Max.		
Center frequency		—	57.082	—	MHz	
Insertion Loss	57.082 MHz	18.8	19.8	20.8	dB	
Relative level	52.832(52.750) MHz	—	-45	-37	dB	
	53.582(53.500) MHz	—	-11	-7	dB	
	54.272(54.190) MHz	-1.5	-0.7	—	dB	
	57.082(57.000) MHz	—	0	—	dB	Reference
	59.892(59.810) MHz	-1.5	-0.5	—	dB	
	60.332(60.250) MHz	—	-10	-5	dB	
	61.178(61.096) MHz	—	-35	-25	dB	
	64.832(64.750) MHz	—	-50	-40	dB	
	46.832 ~ 52.832 (46.750 ~ 52.750) MHz	—	-40	-33	dB	
	62.464 ~ 68.084 (62.382 ~ 68.002) MHz	—	-40	-33	dB	
Amplitude ripple	54.272 ~ 59.892 (54.190 ~ 59.810) MHz	—	0.2	0.6	dB	
Group delay ripple (p-p)	54.272 ~ 59.892 (54.190 ~ 59.810) MHz	—	30	—	ns	
Temperature coefficient		—	-72	—	ppm/°C	

Customer Name	Standard specification	FUJITSU MEDIA DEVICES LIMITED	
Application	Japan Digital Terrestrial TV (13 segment)		
Center Frequency	57.082 MHz	DATE	Jun. 27 2003
FMD Part Number	SBF0606EPL	Version 1.3	

- **Dimensions**




Fig.1

- **Pin Configuration**

Table 2

Pin No.	Symbol	Function
#1	IN	Input
#2	IN(GND)	Input(Ground)
#3	GND	Ground
#4	OUT	Output
#5	OUT	Output

Customer Name	Standard specification	FUJITSU MEDIA DEVICES LIMITED	
Application	Japan Digital Terrestrial TV (13 segment)		
Center Frequency	57.082 MHz	DATE	Jun. 27 2003
FMD Part Number	SBF0606EPL	Version 1.3	

● **Evaluation Circuit**




Fig.2 Evaluation circuit

● **Equivalent Circuit**






Fig.3 Equivalent circuit

Customer Name	Standard specification	FUJITSU MEDIA DEVICES LIMITED	
Application	Japan Digital Terrestrial TV (13 segment)		
Center Frequency	57.082 MHz	DATE	Jun. 27 2003
FMD Part Number	SBF0606EPL	Version 1.3	

**Frequency Characteristics****In-band Characteristics**