

UTC TEA2025 LINEAR INTEGRATED CIRCUIT


STEREO AUDIO AMPLIFIER

DESCRIPTION


The UTC TEA2025 is a monolithic integrated audio amplifier in a 16-pin plastic dual in line package. It is designed for portable cassette players and radios.

FEATURES


- *Working Voltage down to 3V
- *Few External components
- *High Channel isolation
- *Voltage gain up to 45dB(Adjustable with external resistor)
- *Soft clipping
- *Internal Thermal protection



PIN CONFIGURATIONS



BLOCK DIAGRAM



UTC TEA2025 LINEAR INTEGRATED CIRCUIT

ABSOLUTE MAXIMUM RATINGS

PARAMETER	SYMBOL	VALUE	UNIT
Supply Voltage	Vs	15	V
Output Peak Current	Io	1.5	A
Junction Temperature	Tj	150	°C
Storage Temperature	Tstg	-40 ~ +150	°C

ELECTRICAL CHARACTERISTICS(Ta=25°C,Vcc=9V,Stereo,Unless otherwise specified)

PARAMETER	SYMBOL	TEST CONDITIONS	MIN	TYP	MAX	UNIT
Supply Voltage	Vs		3		12	V
Quiescent Current	Iq			40	50	mA
Quiescent output voltage	Vo			4.5		V
Voltage gain	Av	Stereo	43	45	47	dB
		Bridge	49	51	53	
Voltage gain difference	ΔAv				+1	dB
Input impedance	Ri			30		kΩ
Output Power	Po	f=1kHz;d=10% Stereo per channel Vcc=9V;RL=4Ω RL=8Ω	1.7	2.3 1.3		
		Vcc=6V;RL=4Ω RL=8Ω	0.7	1 0.6		W
		Vcc=3V;RL=4Ω		0.1		
		Bridge Vcc=9V;RL=8Ω		4.7		
		Vcc=6V;RL=4Ω		2.8		
Distortion	d	Vcc=9V;RL=4Ω f=1kHz;Po=250mW Stereo		0.3	1.5	%
		Bridge		0.5		
Supply voltage Rejection	SVR	RG=0;Av=45dB Vripple=150mVRMS Fripple=100Hz	40	46		dB
Input noise Voltage	Vn	Av=200 Bandwidth: 20Hz to 20kHz RG=0 RG=10kΩ		1.5 3	3 6	μV
Cross-Talk	C.T.	RG=10kΩ; f=1kHz;RL=4Ω Po=1W	40	55		dB





UTC TEA2025 LINEAR INTEGRATED CIRCUIT

THERMAL RESISTANCE

Rth(j-c):Junction to case thermal resistance 15°C/W

Rth(j-a):Junction to ambient thermal resistance 60°C/W

TYPICAL PERFORMANCE CHARACTERISTICS



UTC TEA2025 LINEAR INTEGRATED CIRCUIT

APPLICATION CIRCUIT




Fig. 5 Bridge Application





Fig. 6 Stereo Application

SCHEMATIC DIAGRAM



Copyright © Each Manufacturing Company.

All Datasheets cannot be modified without permission.

This datasheet has been download from :

www.AllDataSheet.com

100% Free DataSheet Search Site.

Free Download.

No Register.

Fast Search System.

www.AllDataSheet.com