



- The two mounts are securely fastened together with a connecting rivet that allows both mounts to rotate
- Can join bundles of cable, tubing or hoses that may need to move or are not parallel
- Mount separates bundles to avoid abrasion
- Pull apart force: 250 lbs.

Part Number:	TM3-X2-C0Y
Product Family:	Swivel Mounts
Product Line:	Screw/Rivet Applied

RoHS Compliancy Status: Compliant

Note:	TM3-X2-C0Y replaces TM3-X2-C0
-------	-------------------------------

Part Description:	Swivel Cable Tie Mount
-------------------	------------------------

Material:	Weather Resistant Nylon 6.6
-----------	-----------------------------

Color:	Black
--------	-------

Height (In.):	.75
---------------	-----

Height (mm):	19.0
--------------	------

Length (In.):	.87
---------------	-----

Length (mm):	22.1
--------------	------

Width (In.):	.62
--------------	-----

Width (mm):	15.75
-------------	-------

Environment:	Indoors/Outdoors
--------------	------------------

Pull Apart Force (lbs.):	120
--------------------------	-----

Std. Pkg. UOM:	PK
----------------	----

Used With Cable Ties:	M, I, S, HS, LH
-----------------------	-----------------

UOM:	PC
------	----

Std. Pkg. Qty.:	100
-----------------	-----

Min. Order Qty.:	100
------------------	-----

