

## RITE-ON® MARKERS


HellermannTyton's Rite-On Markers are flexible vinyl film used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reuseable dispenser made from high impact plastic which is resistant to oils and grease.

### PRODUCT APPLICATIONS


- Telecom Installations
- Residential Applications
- Electrical Wiring

### PRODUCT FEATURES


- Easily and conveniently fits in a pants or shirt pocket.
- Once loaded, unit allows minimal label exposure to dust and moisture.
- Can be used with standard ball point pens or HellermannTyton nylon marking pens.
- Excess liner is easily cut-off by tearing it over the edge guide at the front of the unit.
- The dispenser can be reloaded over and over again, making it a cost-effective and efficient method of labeling.



A special label window holds the label firm for easy marking.



Can be held easily in the palm of the hand to provide a flat writing surface.



Label dispenses automatically when the liner is pulled from the front of the unit.

## SELF-LAMINATING LABELS AND DISPENSER

### Product Selection

PART NUMBER	WRITE-ON AREA (W X L)	MARKER SIZE (W X L)	WIRE SIZE RANGE				MARKERS PER ROLL	PKG. QTY.
			MIN. WIRE SIZE	AWG	MAX. WIRE SIZE	AWG		
RO101	3/4" x 7/8"	3/4" x 6"	0.70"	4/0 on up	1.50"	4/0 on up	40	1 dispenser
RO175	3/4" x 3/4"	3/4" x 3"	0.330"	4	0.70"	4/0	90	1 dispenser
RO512	3/4" x 1/2"	3/4" x 1-7/8"	0.263"	8	0.330"	4	150	1 dispenser
RO514	3/4" x 3/8"	3/4" x 1-1/4"	0.153"	14 ga.	0.263"	8	200	1 dispenser
RO175WP*	3/4" x 3/4"	3/4" x 3"	0.330"	4	0.625"	4/0	90	1 dispenser

\*Includes nylon marking pen

**RITE-ON® MARKERS** *continued***REFILL ROLLS****Product Selection**

PART NUMBER	DESCRIPTION	WRITE-ON AREA	MARKER SIZE	MARKERS PER ROLL	PKG. QTY.
<b>101REF</b>	Refill Self-Laminating Marker Roll	3/4" x 7/8"	3/4" x 6"	40	1 Roll
<b>175REF</b>	Refill Self-Laminating Marker Roll	3/4" x 3/4"	3/4" x 3"	90	1 Roll
<b>512REF</b>	Refill Self-Laminating Marker Roll	3/4" x 1/2"	3/4" x 1-7/8"	150	1 Roll
<b>514REF</b>	Refill Self-Laminating Marker Roll	3/4" x 3/8"	3/4" x 1-1/4"	200	1 Roll

**NYLON MARKING PENS**

When used with a non-smear FTP nylon marking pen, marking is fast and economical.

**Product Selection**

PART NUMBER	DESCRIPTION	COLOR	PKG. QTY.
<b>FTP1</b>	Non-smear nylon marking pen	Black	12 pens
<b>FTP2</b>	Non-smear nylon marking pen	White	12 pens
<b>FTP3</b>	Non-smear nylon marking pen	Red	12 pens
<b>F82R</b>	Extra durable mark - nylon marking pen	Black	2 pens
<b>F82S</b>	Extra durable mark - nylon marking pen	Red	2 pens

**RITE-ON MARKER DISPLAY**

The Rite-On Marker point-of-purchase display helps ensure increased sales of this economical and popular labeling method.

**Product Selection**

PART NUMBER	DESCRIPTION
<b>RODISPLAY</b>	<p><b>Each display contains:</b></p> <ul style="list-style-type: none"> <li>- 12 dispensers (3 each of RO101, RO175, RO512 &amp; RO514)</li> <li>- 6 starter packs (each pack contains an RO175 dispenser, a roll of labels, a pen and directions for use)</li> <li>- 16 refill rolls (4 each of the refill labels for each dispenser, 101REF, 175REF, 512REF &amp; 514REF)</li> <li>- 1 wire stand display and header label.</li> </ul>



## HANDI-CARDS

HellermannTyton Handi-Cards are easy release markers on a plastic card. They feature a strong adhesive which assures a long lasting bond on wire. Permanent, pre-printed legends are available in solid or sequence order.



Sequence cards shown above.

### HANDI-CARD LEGENDS

Handi-Card legends listed below are also available with a lead time of 3-4 weeks. These legends require a one box minimum.

#### Solid

TYHC\* — 0 thru 999 — A thru Z

Legends listed below come one per box (ex: A1).

A1, A2, A3, A4, A5, A6

B1...B6	H1...H6	R1...R5
C1...C6	J1...J4	S1...S5
D1...D6	K1...K4	T1...T10
E1...E6	L1...L6	X1...X4
F1...F6	M1...M6	Y1... Y4
G1...G4	P1...P4	Z1...Z4

\*Each legend to be ordered separately. Example: To order a box of A3, order TYHCA3. Please contact HellermannTyton for more details.

#### Voltage

2 characters - 36 markers per card  
3-4 characters - 25 markers per card

3V	FM	280V	POS	BUS	C+
6V	FWD	440V	PRI	CAP	C-
12V	GEN	460V	SEC	CC	+
24V	GND	480V	SIC	CM	-
110V	HOT	AC	SPARE	COM	LOAD
115V	IGN	ALI	1PHASE	CT	LOW
120V	IN	AM	2 PHASE	CUR	MED
125V	LINE	ANT	3 PHASE	CW	NEG
220V	PHASE	ARM	A+	DC	OFF
230V	PHASE A	BAT	A-	DD	ON
240V	PHASE B	BB	B+	FF	OUT
270V	PHASE C	BELL	B-		

Colors: RD= Red, YL=Yellow, LB= Light Blue, DB= Dark Blue, LG= Light Green, DG= Dark Green, BR= Brown, OR= Orange, PK= Pink, GY= Gray, BK= Black, WH= White

#### Machine

Legends listed below come one per box (Ex:1T1).

1T1, 1T2, 1T3	8T1...8T3	15T1...15T3
2T1...2T3	9T1...9T3	1L1...1L3
3T1...3T3	10T1...10T3	2L1...2L3
4T1...4T3	11T1...11T3	3L1...3L3
5T1...5T3	12T1...12T3	4L1...4L3
6T1...6T3	13T1...13T3	5L1...5L3
7T1...7T3	14T1...14T3	6L1...6L3

#### Sequence Repeated

1-3	17-32	1T-3T3
1-5	1-18	4T1-6T3
1-6	19-36	7T1-9T3
1-9	A-E	1L1-3L3
0-9	F-J	A1-A4
0-10	K-O	F1-F4
1-12	P-T	H1-H9
1-16	U-Z	

#### Sequence Card Numbers

1-33  
34-66  
67-99  
100-124  
125-149...1975-1999

### Handi-Card Technical Specifications

- Made from vinyl cloth
- Adhesion to steel: 40oz./in. of width
- Temperature range: -40°F to +250°F (-40°C to +121°C)

### SOLID HANDI-CARDS

Each marker on the card contains the same legend.

### Product Selection

PART NUMBER	MARKERS PER CARD	PKG. QTY.
TYHC0,1,2,thru 99	36	25 cards
TYHC100	25	25 cards
TYHCA,B,C, thru Z	36	25 cards
TYHCL1,L2,or L3	36	25 cards
TYHCT1, T2, or T3	36	25 cards

### SEQUENCE HANDI-CARDS

Each marker on the card contains a different number or letter. It runs in sequence beginning with the lowest number or letter first, and ending with the highest.

### Product Selection

PART NUMBER	MARKERS PER CARD	PKG. QTY.
TYHC1-33	33	25 cards
TYHC34-66	33	25 cards
TYHC67-99	33	25 cards
TYHCA-Z	36	25 cards

Convenient pocket sized booklets. Black non-smear legends on a white background. Plastic coated cloth material remains flexible. Strong adhesive assures firm bond on wire.

- Made from vinyl cloth
- Adhesion to steel: 40oz./in. of width
- Temperature range: -40°F to +250°F (-40°C to +121°C)



PART NUMBER	DESCRIPTION	PKG. QTY.
<b>TCWM1</b>	45 Markers each #0-9	1 booklet
<b>TCWM2</b>	10 Markers each A-Z, 1-15, +, -, /	1 booklet
<b>TCWM3</b>	10 Markers each 1-45	1 booklet
<b>TCWM4</b>	150 markers each 1,2,3	1 booklet
<b>TCWM5</b>	150 Markers each A, B, C	1 booklet
<b>TCWM6</b>	150 Markers each T1, T2, T3	1 booklet
<b>TCWM7</b>	150 Markers each L1, L2, L3	1 booklet
<b>TCWM8</b>	6 Markers each 1-15 4 Markers each 16-90 2 Markers each A-Z, +, -, /	1 booklet
<b>TCWM9</b>	45 Markers each 1,2,3,A,B,C 30 Markers each L1, L2, L3 30 Markers each T1, T2, T3	1 booklet
<b>TCWM10</b>	45 Markers each of 10 NEMA colors	1 booklet
<b>TCWM11</b>	15 Markers each of #1-30	1 booklet
<b>TCWM12</b>	15 Markers each A-Z 21 Markers Blank 8 Markers + 7 Markers -	1 booklet
<b>TCWM13</b>	45 Markers each +, -, AC, DC 33 Markers each POS, NEG, GND 27 Markers NEUT 21 Markers each SPARE & BLANK	1 booklet
<b>TCWM14</b>	45 Markers each 0-9 15 Markers each L1, L2, L3 15 Markers each T1, T2, T3	1 booklet
<b>TCWM15</b>	10 Markers each 46-90	1 booklet
<b>TCWM16</b>	10 Markers each 1-33, A, B, C, +, -, T1, T2, T3, L1, L2, L3	1 booklet

## HELASIGN — Self-Laminating Labels

HELASIGN self-laminating label booklets come in 6 different colors and are very easy to use. The booklet conveniently fits in a pocket, while protecting the labels from dust prior to use. The self-laminating label's clear "tail" wraps around the text for excellent abrasion and moisture resistance and protection from dust and dirt. Available in three sizes, the HELASIGN accommodates cable diameters from .16" - .67"



### Product Selection

PART NUMBER	COLOR	DIMENSIONS (A X B X C) IN. (MM)	CABLE DIAMETER MIN IN. (MM)	CABLE DIAMETER MAX IN. (MM)	LABELS/ BOOKLET	PKG. QTY.
598-94920	White	0.5 x 0.5 x 1.5 (12.7 x 12.7 x 38.1)	0.16 (4.0)	0.28 (7.1)	240	1
598-94220	Red					
598-94320	Orange					
598-94420	Yellow					
598-94520	Green					
598-94620	Blue					
598-95920	White	0.75 x 0.5 x 2.0 (19.05 x 12.7 x 50.8)	0.16 (4.0)	0.43 (10.9)	120	1
598-95220	Red					
598-95320	Orange					
598-95420	Yellow					
598-95520	Green					
598-95620	Blue					
598-96920	White	1.0 x 0.75 x 3.0 (25.4 x 19.05 x 76.2)	0.24 (6.0)	0.67 (17.0)	60	1
598-96220	Red					
598-96320	Orange					
598-96420	Yellow					
598-96520	Green					
598-96620	Blue					