
Vion Spectret 应商



28 mm Diameter Twenty-One Turn Dial



FEATURES





- Shaft bore variations available
- Special mounting spacers


MECHANICAL SPECIFICATIONS			
PARAMETER	E MMM.		
Temperature Range	- 20 to + 50 °C		
Operating Torque	0.75 oz in max.		
Weight	23 g		
Housing	Metal housing treated against corrosion		
Finish	Aluminum anodized		
Bearing	Precision ball bearing for uniform movement		


TECHNICAL SPECIFICATIONS			
Readout and Operation	21 turns total The number in the window (0 thru 20) indicates the percent of a partial turn of the drive sleeve		
Brake Lever	Metal brake operates a high torque system which actuates brake		

MARKING			
Unit Identification	Manufacturer's name and model number		

DIMENSIONS in millimeters (inches)

df.dzsc.com





ORDERING INFORMATION/DESCRIPTION 11 **B08** е LEAD MODEL SHAFT DIAMETER **FINISH PACKAGING FINISH** A 1/4" dia. shaft - 1 set screw 11. Clear satin anodized housing, B 6 mm metric bore - 1 set screw black rotor, white markings C 1/8" dia. shaft - 1 set screw 21. Black anodized housing, black rotor, white markings Example: 28 - A - 11

SAP PART NUMBERING GUIDELINES					
28	Α	11	B08		
MODEL	SHAFT DIAMETER	FINISH	PACKAGING		

Document Number: 57082 Revision: 23-Jan-07



Vishay

Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Revision: 18-Jul-08

Document Number: 91000 www.vishay.com