



SANDVIK


[查询"3834-ARBR-11152BL"供应商](#)

702 6018 → 6043.

Arbors

All arbors are hardened for maximum strength. Large arbors, for holesaws 32 - 210 mm, have drive pins to transfer large cutting force from the holesaw to the power unit. Pilot drill is included.

3834-ARBR



Product code	EAN code 731151+		Fits holesaw mm	mm	Minimum chuck size mm	
3834-ARBR-630	8015558	1	14-30	6,4	8	70
3834-ARBR-930	8015565	1	14-30	8,5	10	70
3834-ARBR-1130	8015572	1	14-30	11,1	13	90

Retail packaging, clam shell.

3834-ARBR-930BL	8041274	1	14-30	8,5	10	70
-----------------	---------	---	-------	-----	----	----

The new arbor design from Sandvik, the Power Driver (patent pending) eliminate play. It increases the strength of the holesaw by redistributing the load from the thread to the solid cap. To be used with hand held machines and when operating with high work load in stationary machines.

3834-ARBR-9100	8015589	1	32-100	8,5	10	250
3834-ARBR-11152	8015596	1	32-210	11,1	13	260
3834-ARBR-16152	8015602	1	32-210	15,4	20	310

Retail packaging, clam shell.

3834-ARBR-9100BL	8041281	1	32-100	8,5	10	250
3834-ARBR-11152BL	8045036	1	32-210	11,1	13	260

Low weight arbor with triangular shank.

3834-ARBR-730	8167974	1	14-30	6,4	8	60
---------------	---------	---	-------	-----	---	----

Low weight arbor with quick change mechanism. No tools needed to change holesaw. Normal workload, play allow holesaw to adjust itself after the workpiece.

3834-ARBR-11152QC	8167967	1	32-210	11,1	13	250
-------------------	---------	---	--------	------	----	-----

3834-ARBR-SD

Arbors with SD drive shank designed for machines with quick chucks (Hilti and Bosch). Eliminate the need to change machine for work with holesaws.



3834-ARBR-SD30	8203818	1	14-30	SDS	Quick Chuck	110
----------------	---------	---	-------	-----	-------------	-----



3834-ARBR-SD152QC	8203825	1	32-210	SDS	Quick Chuck	170
-------------------	---------	---	--------	-----	-------------	-----

3834-PD

Power Driver PD stabilises the sawing operation and distributes efficiently the cutting forces on the saw. For use together with arbors 9100, 11152 and 16152 only.



3834-PD	8204792	10				140
---------	---------	----	--	--	--	-----


[查询"3834-ARBR-11152BL"供应商](#)

SANDVIK

Pilot drills


The HSS pilot drill makes a hole in the workpiece before the teeth of the holesaw become engaged, guiding and keeping the holesaw in correct position during the sawing operation.

3834-DRL

Product code	EAN code 731151+		Fits arbor	Diameter mm	Length mm	
--------------	---------------------	---	------------	-------------	-----------	---

DRL-1 to be used when drilling pilot holes in sheet steel for better guide.

3834-DRL-1	8007751	1	All arbors.	6,35	79	20
Std. drill in all small arbors.						



DRL-2 to be used when drilling pilot holes in thick material, thicker than 5 mm.

3834-DRL-2	8007768	1	All arbors.	6,35	84	20
Std. drill in all large arbors.						



DRL-2-SS to be used when drilling pilot holes in difficult to cut material. High-alloyed HSS, tip angle specially ground for stainless steel.

3834-DRL-2-SS	8199371	1	All arbors.	6,35	84	20
---------------	---------	---	-------------	------	----	----

Carbide tipped pilot drill - Sandvik Multi purpose CT - drill has a high grade carbide tip with special properties, hardness and geometry. It was specially designed to provide one tool to cover many different materials. It enables high cutting performance in all machinable material from wood and plastic to brick and concrete.

3834-DRL-CT

3834-DRL-CT	8953201	1	All arbors.	6,35	84	35
-------------	---------	---	-------------	------	----	----



For reach in difficult-to-cut surroundings.

Arbor extensions

3834-EXT

Product code	EAN code 731151+		Fits arbor	 mm	Length mm	
--------------	---------------------	---	------------	--	-----------	--

3834-EXT-1	8040673	1	-1130,-11152,-11152QC.	11,1	330	340
3834-EXT-2	8168070	1	-930,-9100.	8,5	330	340



Convert the arbor hexagonal shank to suit Morse taper system on stationary machine.

Morse taper adaptors

3834-MRS

Product code	EAN code 731151+		Fits arbor	
--------------	---------------------	---	------------	--

3834-MRS-2	8015626	1	-1130,-11152,-11152QC	220
3834-MRS-3-11	8165130	1	-1130,-11152,-11152QC	220
3834-MRS-3	8015633	1	-16152	220




[查询"3834-ARBR-11152BL"供应商](#)
SANDVIK
Pilot drills

The HSS pilot drill makes a hole in the workpiece before the teeth of the holesaw become engaged, guiding and keeping the holesaw in correct position during the sawing operation.

3834-DRL

Product code	EAN code 731151+		Fits arbor	Diameter mm	Length mm	
--------------	------------------	--	------------	-------------	-----------	--


DRL-1 to be used when drilling pilot holes in sheet steel for better guide.

3834-DRL-1	8007751	1	All arbors.	6,35	79	20
Std. drill in all small arbors.						



DRL-2 to be used when drilling pilot holes in thick material, thicker than 5 mm.

3834-DRL-2	8007768	1	All arbors.	6,35	84	20
Std. drill in all large arbors.						



DRL-2-SS to be used when drilling pilot holes in difficult to cut material. High-alloyed HSS, tip angle specially ground for stainless steel.

3834-DRL-2-SS	8199371	1	All arbors.	6,35	84	20
---------------	---------	---	-------------	------	----	----

Carbide tipped pilot drill - Sandvik Multi purpose CT - drill has a high grade carbide tip with special properties, hardness and geometry. It was specially designed to provide one tool to cover many different materials. It enables high cutting performance in all machinable material from wood and plastic to brick and concrete.

3834-DRL-CT

3834-DRL-CT	8953201	1	All arbors.	6,35	84	35
-------------	---------	---	-------------	------	----	----



For reach in difficult-to-cut surroundings.

Arbor extensions
3834-EXT

Product code	EAN code 731151+		Fits arbor		Length mm	
--------------	------------------	--	------------	--	-----------	--

3834-EXT-1	8040673	1	-1130,-11152,-11152QC.	11,1	330	340
3834-EXT-2	8168070	1	-930,-9100.	8,5	330	340



Convert the arbor hexagonal shank to suit Morse taper system on stationary machine.

Morse taper adaptors
3834-MRS

Product code	EAN code 731151+		Fits arbor	
--------------	------------------	--	------------	--

3834-MRS-2	8015626	1	-1130,-11152,-11152QC	220
3834-MRS-3-11	8165130	1	-1130,-11152,-11152QC	220
3834-MRS-3	8015633	1	-16152	220





查询"3834-ARBR-11152BL"供应商

SANDVIK

Pilot drills

The HSS pilot drill makes a hole in the workpiece before the teeth of the holesaw become engaged, guiding and keeping the holesaw in correct position during the sawing operation.

3834-DRL

Product code	EAN code 731151+		Fits arbor	Diameter mm	Length mm	
--------------	------------------	---	------------	-------------	-----------	--

DRL-1 to be used when drilling pilot holes in sheet steel for better guide.

3834-DRL-1	8007751	1	All arbors.	6,35	79	20
			Std. drill in all small arbors.			



DRL-2 to be used when drilling pilot holes in thick material, thicker than 5 mm.

3834-DRL-2	8007768	1	All arbors.	6,35	84	20
			Std. drill in all large arbors.			



DRL-2-SS to be used when drilling pilot holes in difficult to cut material. High-alloyed HSS, tip angle specially ground for stainless steel.

3834-DRL-2-SS	8199371	1	All arbors.	6,35	84	20
---------------	---------	---	-------------	------	----	----

Carbide tipped pilot drill - Sandvik Multi purpose CT - drill has a high grade carbide tip with special properties, hardness and geometry. It was specially designed to provide one tool to cover many different materials. It enables high cutting performance in all machinable material from wood and plastic to brick and concrete.

3834-DRL-CT

3834-DRL-CT	8953201	1	All arbors.	6,35	84	35
-------------	---------	---	-------------	------	----	----



For reach in difficult-to-cut surroundings.

Arbor extensions

3834-EXT

Product code	EAN code 731151+		Fits arbor	 mm	Length mm	
--------------	------------------	---	------------	--	-----------	--

3834-EXT-1	8040673	1	-1130,-11152,-11152QC.	11,1	330	340
3834-EXT-2	8168070	1	-930,-9100.	8,5	330	340



Convert the arbor hexagonal shank to suit Morse taper system on stationary machine.

Morse taper adaptors

3834-MRS

Product code	EAN code 731151+		Fits arbor	
--------------	------------------	---	------------	--

3834-MRS-2	8015626	1	-1130,-11152,-11152QC	220
3834-MRS-3-11	8165130	1	-1130,-11152,-11152QC	220
3834-MRS-3	8015633	1	-16152	220




[查询"3834-ARBR-11152BL"供应商](#)
SANDVIK
Pilot drills

The HSS pilot drill makes a hole in the workpiece before the teeth of the holesaw become engaged, guiding and keeping the holesaw in correct position during the sawing operation.

3834-DRL

Product code	EAN code 731151+		Fits arbor	Diameter mm	Length mm	
--------------	------------------	--	------------	-------------	-----------	--

DRL-1 to be used when drilling pilot holes in sheet steel for better guide.

3834-DRL-1	8007751	1	All arbors.	6,35	79	20
Std. drill in all small arbors.						



DRL-2 to be used when drilling pilot holes in thick material, thicker than 5 mm.

3834-DRL-2	8007768	1	All arbors.	6,35	84	20
Std. drill in all large arbors.						



DRL-2-SS to be used when drilling pilot holes in difficult to cut material. High-alloyed HSS, tip angle specially ground for stainless steel.

3834-DRL-2-SS	8199371	1	All arbors.	6,35	84	20
---------------	---------	---	-------------	------	----	----

Carbide tipped pilot drill - Sandvik Multi purpose CT - drill has a high grade carbide tip with special properties, hardness and geometry. It was specially designed to provide one tool to cover many different materials. It enables high cutting performance in all machinable material from wood and plastic to brick and concrete.

3834-DRL-CT

3834-DRL-CT	8953201	1	All arbors.	6,35	84	35
-------------	---------	---	-------------	------	----	----



For reach in difficult-to-cut surroundings.

Arbor extensions
3834-EXT

Product code	EAN code 731151+		Fits arbor	mm	Length mm	
--------------	------------------	--	------------	----	-----------	--

3834-EXT-1	8040673	1	-1130,-11152,-11152QC.	11,1	330	340
------------	---------	---	------------------------	------	-----	-----

3834-EXT-2	8168070	1	-930,-9100.	8,5	330	340
------------	---------	---	-------------	-----	-----	-----



Convert the arbor hexagonal shank to suit Morse taper system on stationary machine.

Morse taper adaptors
3834-MRS

Product code	EAN code 731151+		Fits arbor	
--------------	------------------	--	------------	--

3834-MRS-2	8015626	1	-1130,-11152,-11152QC	220
3834-MRS-3-11	8165130	1	-1130,-11152,-11152QC	220
3834-MRS-3	8015633	1	-16152	220




[查询"3834-ARBR-11152BL"供应商](#)
SANDVIK
Pilot drills

The HSS pilot drill makes a hole in the workpiece before the teeth of the holesaw become engaged, guiding and keeping the holesaw in correct position during the sawing operation.

Product code	EAN code 731151+		Fits arbor	Diameter mm	Length mm	
--------------	------------------	--	------------	-------------	-----------	--

3834-DRL


DRL-1 to be used when drilling pilot holes in sheet steel for better guide.

3834-DRL-1	8007751	1	All arbors.	6,35	79	20
Std. drill in all small arbors.						



DRL-2 to be used when drilling pilot holes in thick material, thicker than 5 mm.

3834-DRL-2	8007768	1	All arbors.	6,35	84	20
Std. drill in all large arbors.						



DRL-2-SS to be used when drilling pilot holes in difficult to cut material. High-alloyed HSS, tip angle specially ground for stainless steel.

3834-DRL-2-SS	8199371	1	All arbors.	6,35	84	20
----------------------	---------	---	-------------	------	----	----

Carbide tipped pilot drill - Sandvik Multi purpose CT - drill has a high grade carbide tip with special properties, hardness and geometry. It was specially designed to provide one tool to cover many different materials. It enables high cutting performance in all machinable material from wood and plastic to brick and concrete.

3834-DRL-CT

3834-DRL-CT	8953201	1	All arbors.	6,35	84	35
--------------------	---------	---	-------------	------	----	----



For reach in difficult-to-cut surroundings.

Arbor extensions

Product code	EAN code 731151+		Fits arbor		Length mm	
--------------	------------------	--	------------	--	-----------	--

3834-EXT

3834-EXT-1	8040673	1	-1130,-11152,-11152QC.	11,1	330	340
3834-EXT-2	8168070	1	-930,-9100.	8,5	330	340



Convert the arbor hexagonal shank to suit Morse taper system on stationary machine.

Morse taper adaptors

Product code	EAN code 731151+		Fits arbor	
--------------	------------------	--	------------	--

3834-MRS

3834-MRS-2	8015626	1	-1130,-11152,-11152QC	220
3834-MRS-3-11	8165130	1	-1130,-11152,-11152QC	220
3834-MRS-3	8015633	1	-16152	220




[查询"3834-ARBR-11152BL"供应商](#)

SANDVIK

Pilot drills

The HSS pilot drill makes a hole in the workpiece before the teeth of the holesaw become engaged, guiding and keeping the holesaw in correct position during the sawing operation.

Product code	EAN code 731151+		Fits arbor	Diameter mm	Length mm	
--------------	------------------	---	------------	-------------	-----------	---

DRL-1 to be used when drilling pilot holes in sheet steel for better guide.

3834-DRL-1	8007751	1	All arbors.	6,35	79	20
Std. drill in all small arbors.						

DRL-2 to be used when drilling pilot holes in thick material, thicker than 5 mm.

3834-DRL-2	8007768	1	All arbors.	6,35	84	20
Std. drill in all large arbors.						

DRL-2-SS to be used when drilling pilot holes in difficult to cut material. High-alloyed HSS, tip angle specially ground for stainless steel.

3834-DRL-2-SS	8199371	1	All arbors.	6,35	84	20
---------------	---------	---	-------------	------	----	----

Carbide tipped pilot drill - Sandvik Multi purpose CT - drill has a high grade carbide tip with special properties, hardness and geometry. It was specially designed to provide one tool to cover many different materials. It enables high cutting performance in all machinable material from wood and plastic to brick and concrete.

3834-DRL-CT	8953201	1	All arbors.	6,35	84	35
-------------	---------	---	-------------	------	----	----

For reach in difficult-to-cut surroundings.

Product code	EAN code 731151+		Fits arbor	 mm	Length mm	
--------------	------------------	---	------------	--	-----------	--

3834-EXT-1	8040673	1	-1130,-11152,-11152QC.	11,1	330	340
3834-EXT-2	8168070	1	-930,-9100.	8,5	330	340

Convert the arbor hexagonal shank to suit Morse taper system on stationary machine.

Product code	EAN code 731151+		Fits arbor	
--------------	------------------	---	------------	--

3834-MRS-2	8015626	1	-1130,-11152,-11152QC	220
3834-MRS-3-11	8165130	1	-1130,-11152,-11152QC	220
3834-MRS-3	8015633	1	-16152	220

3834-DRL



3834-DRL-CT



Arbor extensions

3834-EXT



Morse taper adaptors

3834-MRS

