


# SAW Bandpass Filter 271201B

## 1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

## 2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	1/6

## SAW Bandpass Filter 271201B

### 3. Specifications

Fo = 70.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	70.0	-
Insertion Loss	dB	-	24.5	26.0
3dB Bandwidth	MHz	12.9	12.93	13.1
40dB Bandwidth	MHz	-	13.7	14.0
Amplitude Ripple (Fo +/- 6.2 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 6.2 MHz)	nsec	-	50	150
Relative Attenuation				
30.000 to 62.935 MHz	dB	48	50	-
62.935 to 63.135 MHz	dB	38	42	-
76.865 to 77.065 MHz	dB	38	42	-
77.065 to 100.00 MHz	dB	48	50	-
Absolute Delay	nsec	-	3.43	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

#### Notes :


- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	2/6

## SAW Bandpass Filter 271201B

### 4. Matching Schematic


( Actual matching values may vary due to PCB layout and parasitics )



### 5. Marking Configuration

ITF<sup>1)</sup>04A001<sup>2)</sup>  
271201B<sup>3)</sup>



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	3/6

# SAW Bandpass Filter 271201B







## 6. Typical Performance ( at +25°C )



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	4/6



# SAW Bandpass Filter 271201B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	271201B	
Rev. Date	2004-04-26	
Rev.	NM3028-CS03	5/6

# SAW Bandpass Filter 271201B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	271201B	
Rev. Date	2004-04-26	
Rev.	NM3028-CS03	6/6