


SAW Bandpass Filter 250951B

1. Features

- IF Bandpass Filter
- High-Attenuation
- Single-Ended Operation
- Ceramic Surface Mount Device (SMD) Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimensions



Package : S1365

Dimensions shown are nominal in millimeters

Body : Al₂O₃ Ceramic

Lid : Kovar, Ni Plated

Terminations : Au plating 0.3 ~ 1.0 um, Over a 1.27 ~ 8.89 um Ni Plating

Pad Configuration	
11	Input
5	Output
6, 12	Ground
Other	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250951B	
		Rev. Date	2005-02-24	
		Rev.	NW4003-CS03	1/5

SAW Bandpass Filter 250951B

3. Specifications

Fo = 160.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	160.0	-
Insertion Loss	dB	-	23.0	25.0
1dB Bandwidth	MHz	8.8	9.0	-
3dB Bandwidth	MHz	-	9.35	-
40dB Bandwidth	MHz	-	10.9	10.95
Amplitude Ripple (Fo +/- 4.375 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 4.375 MHz)	nsec	-	100	-
Absolute Delay	usec	-	1.8	-
Ultimate Rejection	dB	45	50	-
Temperature Coefficient of Frequency	ppm/°C	-	-23.0	-

Notes :


- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250951B	
		Rev. Date	2005-02-24	
		Rev.	NW4003-CS03	2/5

SAW Bandpass Filter 250951B

4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



L1 = 15 nH, L2 = 27 nH
 C1 = 27 pF, C2 = 47 pF


5. Marking Configuration

ITF¹⁾ 04A001²⁾

250951B³⁾

●⁴⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number
- 4) Pad Number 1 Index

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250951B	
		Rev. Date	2005-02-24	
		Rev.	NW4003-CS03	3/5

SAW Bandpass Filter 250951B







6. Typical Performance (at +25°C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250951B	
		Rev. Date	2005-02-24	
		Rev.	NW4003-CS03	4/5

SAW Bandpass Filter 250951B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	250951B	
Rev. Date	2005-02-24	
Rev.	NW4003-CS03	5/5