


SAW Bandpass Filter 271952B

1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : S1365

Dimensions shown are nominal in millimeters

Body : Al₂O₃

Lid : Kovar, Ni Plated

Termination : Au plating 0.3 ~ 1.0um, over a 1.27 ~ 8.89um Ni Plating

Pin Configuration	
11	Input
5	Output
6, 12	Ground
Other	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271952B	
		Rev. Date	2008-2-29	
		Rev.	NM7063-CS02	1/5

SAW Bandpass Filter 271952B

3. Specifications

Fo = 70.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

Room temperature range : +25°C		Minimum	Typical	Maximum
Center Frequency (Fc)	MHz	-	70.0	-
Insertion Loss	dB	-	24.5	26.0
1dB Bandwidth	MHz	-	19.43	-
3dB Bandwidth	MHz	19.8	19.9	-
40dB Bandwidth	MHz	-	21.76	22.0
Amplitude Ripple (Fo +/- 9.45 MHz)	dB	-	0.55	1.0
Group Delay Variation (Fo +/- 9.45 MHz)	nsec	-	30	60
Absolute Delay	usec	-	1.65	-
Ultimate Rejection	dB	45	50	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :


- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271952B	
		Rev. Date	2008-2-29	
		Rev.	NM7063-CS02	2/5

SAW Bandpass Filter 271952B

4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



$L1 = 180\text{nH}$, $L2 = 180\text{nH}$

$C1 = 8\text{ pF}$

5. Marking Configuration

ITF¹⁾ 08A001²⁾

271952B³⁾


●⁴⁾

1) Manufacturer name

2) Lot Number

3) Part Number



4) Pad Number 1 Index

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271952B	
		Rev. Date	2008-2-29	
		Rev.	NM7063-CS02	3/5

SAW Bandpass Filter 271952B







6. Typical Performance (at +25°C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271952B	
		Rev. Date	2008-2-29	
		Rev.	NM7063-CS02	4/5

SAW Bandpass Filter 271952B



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271952B	
		Rev. Date	2008-2-29	
		Rev.	NM7063-CS02	5/5