

ON Semiconductor®

[查询"NLAS7222A"供应商](#)



BRD8027/D
Rev. 4, Feb-2007

Selection. Service. Support.
Power Solutions from ON Semiconductor

USB Solutions



*Covering protection, filtering and switching
devices from ON Semiconductor.*



Integrated Solutions for USB Line Protection and Termination

ON Semiconductor provides a selection of integrated solutions for USB line protection and termination. Integrated IC solutions combine diodes with resistive and capacitive elements into a single package, providing:


- improved parametric stability
- board space reduction
- reduced parasitic inductance
- simplified supply chain
- component count reduction
- lower overall system cost

Related Application Notes (download from www.onsemi.com)


- ESD Protection for Dual USB 2.0 Port Using the Low Capacitance TVS Diode Array, NUP4201DR2 Device – download AND8082/D
- EMI Filtering, USB Upstream Line Termination and ESD Protection Using the STF202 Device – download AND8074/D
- MicroIntegration Technology Solutions for Protection in High Speed I/O Data Lines – download AND8104/D
- Design Considerations for ESD/EMI Filters: (Almost Everything You Wanted to Know About EMI Filters and Were Afraid to Ask) – download AND8200/D
- Solving EMI and ESD Problems with Integrated Passive Device Low Pass Pi Filters - download AND8026/D

Speed of Data Transport

| Port | Speed |
|------------------------|--------------|
| Serial Port | 0.115 Mbit/s |
| Standard Parallel Port | 0.92 Mbit/s |
| USB 1.1 | |
| Low Speed | 1.5 Mbit/s |
| High Speed | 12 Mbit/s |
| USB 2.0 | |
| Low Speed | 1.5 Mbit/s |
| Full Speed | 12 Mbit/s |
| High Speed | 480 Mbit/s |



















Typical USB Line Protection Application



DO NOT PRINT - TRIM AREA

USB Line Protection Devices










Integrated protection devices for USB from ON Semiconductor can replace up to 9 discrete devices, minimize board space and simplify board layouts. Our portfolio includes Low-, Full- and High-Speed USB solutions. All of our devices are IEC61000-4-2 compliant.

| | 1-Line (1/2 Port) | 2-Lines (1 Port) | 4-Lines (2 Ports) |
|---|---|---|--|
| Low & Full Speed I/O Lines + VBUS |  <p>SL05T1G [Ⓜ]</p> <p>SOT-23</p>  <p>ESD9A5.0ST5G [Ⓜ]</p> <p>SOD-923</p> |  <p>LC03-6R2</p> <p>S0-8</p>  <p>ESD7A5.0DT5G [*] [Ⓜ]</p> <p>SOT-723</p> |  <p>SRDA05-4R2</p> <p>S0-8</p> |
| Low, Full & High Speed I/O Lines + VBUS | — |  <p>NUP2201MR6T1G [Ⓜ]</p> <p>TSOP-6</p>  <p>NUP2202W1T2G [Ⓜ]</p> <p>SC-88</p> |  <p>NUP4201DR2</p> <p>S0-8</p>  <p>NUP4201MR6T1G [Ⓜ]</p> <p>TSOP-6</p>  <p>NUP4202W1T2G [Ⓜ]</p> <p>SC-88</p> |
| Low, Full & High Speed I/O Lines | — |  <p>NUP4060AXV6T1G [Ⓜ]</p> <p>SOT-563</p> |  <p>NUP8010MNT1G [Ⓜ]</p> <p>DFN-8</p> |
| Low, Full & High Speed I/O Lines |  <p>NUP1301ML3T1G [Ⓜ]</p> <p>SOT-23</p> |  <p>NUP2301MW6T1G [Ⓜ]</p> <p>SC-88</p> |  <p>NUP4301MR6T1G [Ⓜ]</p> <p>TSOP-6</p>  <p>NUP4304MR6T1G [Ⓜ]</p> |



[Ⓜ] = Symbol denotes 2nd level interconnect Pb-Free (lead) content.
^{*} = Coming soon.

USB Filter Devices

Integrated protection and termination devices for USB from ON Semiconductor can replace up to 11 devices by combining TVS diodes with resistive and capacitive elements. They are suitable for Low- and Full-Speed USB solutions. All of our devices are IEC61000-4-2 Level 4 compliant.


| Upstream Filters | OTG (On-The-Go) | Upstream/Downstream Filters |
|---|--|---|
|  |  |  |
|  <p>STF202-22T1G [Ⓜ]</p> <p>TSOP-6</p>  <p>NUF2221W1T2G [Ⓜ]</p> <p>SC-88 SOT-363</p>  <p>NUF2015W1T2G [Ⓜ]</p> |  <p>NUF2222FCT1G [Ⓜ]</p> <p>Flip-Chip</p> |  <p>NUF2030XV6T1G [Ⓜ]</p> <p>30 pF (typ) @ 2.5 V</p> <p>NUF2042XV6T1G [Ⓜ]</p> <p>42 pF (typ) @ 2.5 V</p> <p>SOT-563</p>  <p>NUF2240W1T1G [Ⓜ]</p> <p>17 pF (typ) @ 2.5 V</p> <p>SC-88 SOT-363</p> |

[Ⓜ] = Symbol denotes 2nd level interconnect Pb-Free (lead) content.



| Downstream Filter |
|---|
|  |
|  <p>NUF2101MT1G [Ⓜ]</p> <p>55 pF (typ) @ 0 V</p> <p>TSOP-6</p> |

[Ⓜ] = Symbol denotes 2nd level interconnect Pb-Free (lead) content.

The integrated solution from ON Semiconductor delivers improved insertion losses since there are lower parasitics compared to discrete solutions which use multiple packages.



NLAS7222A Dual SPDT Switch <7 pF On Switch Capacitance



Key Performance Characteristics

- Passes USB 2.0 High Speed Signals
- 6.5 Ω Typical R_{DSon} @ 3.0 V
- 500 MHz Bandwidth
- Low Crosstalk: -45 dB @ 250 MHz
- Smallest Package in the Industry

| Device | Configuration | R_{ON} Max (Ω) | C Typ (pF) | Package |
|------------|---------------|---------------------------|------------|-------------------|
| NLAS7222A | Dual SPDT | 9 | 6.5 | WQFN-10, uDFN-10* |
| NLAS4717EP | Dual SPDT | 4.5 | 38 | Flip-Chip 10 |

* Coming Soon



USB Switching Applications

查询"NLAS7222A"供应商

Sales and Design Assistance from ON Semiconductor



www.onsemi.com

ON Semiconductor Distribution Partners

| | | |
|----------------------------|-----------------------------------|---------------------------------------|
| Arrow Electronics | www.arrow.com | (800) 777-2776 |
| Avnet | www.em.avnet.com | (800) 332-8638 |
| Chip Supply | www.chipsupply.com | (407) 298-7100 |
| Digi-Key | www.digikey.com | (800) 338-1003 |
| EBV Elektronik | www.ebv.com/en/locations.html | (49) 8121 774-0 |
| Farnell InOne | www.farnellinone.com | +44 8701 200 200 |
| Future Electronics Europe | www.futureelectronics.com/contact | info-eur-future@futureelectronics.com |
| Future & FAI Electronics | www.futureelectronics.com/contact | 1-800-FUTURE1 (388-8731) |
| Marubun/Arrow | www.marubunarrow.com | (852) 2375-1126 |
| Minco | www.mincotech.com | (512) 834-2022 |
| Mouser Electronics | www.mouser.com | (800) 346-6873 |
| Newark Electronics | www.newark.com | (800) 4-NEWARK |
| NuVision | www.nuvision-tech.com | (886) 2 8228-0688 |
| Rochester Electronics | www.rocelec.com | (978) 462-9332 |
| Semi Dice Inc | www.semidice.com | 1 (800) 345-6633 |
| Silica (An Avnet Company) | www.silica.com | +33 1 6447 2929 |
| WPI | www.wpi-group.com | (886) 2 2788-5200 |
| Spoerle (An Arrow Company) | www.spoerle.de/de/about/offices | +49 6103 3040 |

INTERNATIONAL

| | | |
|----------------------|----------------|-------------------|
| BRAZIL | San Paulo | (55-11) 3842-8911 |
| GREATER CHINA | Beijing | 86-10-8518-2323 |
| | Chengdu | 86-28-8678-4078 |
| | Hong Kong | 852-2689-0088 |
| | Shenzhen | 86-755-8209-1128 |
| | Shanghai | 86-21-5131-7168 |
| | Taipei, Taiwan | 886-2-2377-9911 |

INTERNATIONAL

| | | |
|----------------|-----------|---------------------|
| FRANCE | Paris | 33 (0)1 39-26-41-00 |
| GERMANY | Munich | 49 (0) 89-93-0808-0 |
| INDIA | Bangalore | 91-80-2532-5084 |
| ISRAEL | Herzelia | 972 (0) 9-9609-111 |
| ITALY | Milan | 39 02-530-0951 |
| JAPAN | Tokyo | 81-3-5773-3850 |
| KOREA | Seoul | 82-2-2190-3500 |

INTERNATIONAL

| | | |
|-----------------------|-------------|---------------------|
| MALAYSIA | Penang | 60-4-226-9368 |
| MEXICO | Guadalajara | (5233) 3123-9199 |
| SINGAPORE | Singapore | 65-6391-1260 |
| SLOVAKIA | Piestany | 421 33 790 2450 |
| UNITED KINGDOM | Slough | 44 (0) 1753 70 1676 |

NORTH AMERICA SALES OFFICES & REP FIRMS

| | | | |
|----------------------|-------------------|------------------------|--|
| Alabama | Huntsville | e-Components | (256) 533-2444 |
| | Huntsville | ON Sales Office | (256) 774-1004 |
| Arizona | Phoenix | Centaur Corporation | (480) 839-2320 |
| California | Irvine | Centaur Corporation | (949) 261-2123 |
| | Los Angeles | Centaur Corporation | (805) 579-0519 |
| | Santa Clara | T3 Technical Sales | (408) 350-3900 |
| | San Diego | Centaur Corporation | (858) 278-4950 |
| CANADA | All Regions | Astec | (905) 607-1444 |
| Colorado | Englewood | ON Sales Office | Karl Hill: (720) 895-1367 Mike Barone: (303) 670-8000 |
| Connecticut | Monroe | Impact Technical Sales | (203) 268-7229 |
| Florida | Boca Raton | e-Components | (561) 289-1379 |
| | Lake Mary | e-Components | (407) 804-0042 |
| | Plantation | ON Sales Office | (954) 325-1223 |
| | Palm Harbor | e-Components | (727) 937-3016 |
| | Melbourne | e-Components | (321) 676-5659 |
| Georgia | Duluth | e-Components | (678) 380-5080 |
| Illinois | Hoffman Estates | Stan Clothier | (847) 781-4010 |
| Indiana | Fishers | Bear VAI | (317) 570-0707 |
| | Kokomo | ON Sales Office | (765) 865-2091 |
| Iowa | Cedar Rapids | Stan Clothier | (319) 393-1576 |
| Kansas | Overland Park | Stan Clothier | (913) 894-1675 |
| Maryland | Columbia | Third Wave Solutions | (410) 290-5990 |
| Massachusetts | Burlington | Impact Technical Sales | (781) 238-8888 |
| | Lowell | ON Sales Office | (978) 452-6075 |
| Michigan | Livonia | ON Sales Office | (734) 953-6848 |
| Minnesota | Eden Prairie | Stan Clothier | (952) 944-3456 |
| Missouri | St. Charles | Stan Clothier | (636) 916-3777 |
| New Jersey | Denville | CJR Associates | (973) 625-2796 |
| New York | Long Island | CJR Associates | (973) 625-2796 |
| | New York City | CJR Associates | (973) 625-2796 |
| | Rochester | TriTech | (716) 385-6500 |
| | Binghamton | TriTech | (607) 722-3580 |
| Ohio | Brecksville | Bear VAI | (937) 748-1341 |
| Oregon | Portland | SiFore Technical Sales | (503) 977-6267 |
| Pennsylvania | Hatboro | Delta Technical Sales | (215) 957-0600 |
| Texas | Austin | West Associates | (512) 343-1199 |
| | Richardson | West Associates | (972) 680-2800 |
| Washington | Bellevue | SiFore Technical Sales | (425) 990-4701 |
| Wisconsin | Statewide | Stan Clothier | (847) 781-4010 |

ON Semiconductor and the ON logo are registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT:

Literature Distribution Center for ON Semiconductor
P.O. Box 5163, Denver, Colorado 80217 USA
Phone: 303-675-2175 or 800-344-3860 Toll Free USA/Canada
Fax: 303-675-2176 or 800-344-3867 Toll Free USA/Canada
Email: orderlit@onsemi.com

N. American Technical Support: 800-282-9855 Toll Free
USA/Canada.

Europe, Middle East and Africa Technical Support:
Phone: 421 33 790 2910

Japan Customer Focus Center
Phone: 81-3-5773-3850

ON Semiconductor Website: www.onsemi.com

Order Literature: <http://www.onsemi.com/orderlit>

For additional information, please contact your local
Sales Representative