


HDA570S-F

Dimensional Drawing

5.7" , QVGA (TFT) Color Graphics , CCFL Backlight



Features

Viewing Angle(U/D/R/L).....60/60/50/40 degrees
High Contrast.....350:1
Fast Response Time (Tr+Tf).....50 msec
Built-in Controller.....none
Touch screenoptional

Physical Data

Module Size.....144.0W x104.6H x13.0T mm
Viewing Area Size.....115.2W x86.4 H mm
Dot Pitch.....0.12W x 0.36H mm
Weight.....192g


Electrical Characteristics (VDD=3.3±0.125V 25°C)

PARAMETER	SYM	CONDITION	MIN	TYP	MAX	UNIT
OPERATING VOLTAGE	V _{DD}	-	3.0	3.3	3.6	V
OPERATING VOLTAGE CCFL	V _{CCFL}	I = 5 mArms	745-	825	905	Vrms
INPUT HIGH VOLTAGE	V _{IH}		0.7*V _{DD}	-	V _{DD}	V
INPUT LOW VOLTAGE	V _{IL}		0	-	0.3*V _{DD}	V
OPERATING CURRENT	I _{DD}		-	72	-	mA
OPERATING CURRENT CCFL	I _{CCFL}		4	5	6.0	Arms
POWER CONSUMPTION	P _L		-	240	-	mW
BRIGHTNESS	L	Average	400	500	-	cd/m ²

Pin Connections

PIN NO.	SYMBOL	FUNCTION
1	GND	Ground Pin
2	CK	Data Sampling Clock
3	Hsync	Horizontal Sync.
4	Vsync	Vertical Sync.
5	GND	Ground Pin
6	R0	Red Data Signal (LSB)
7	R1	Red Data Signal
8	R2	Red Data Signal
9	R3	Red Data Signal
10	R4	Red Data Signal
11	R5	Red Data Signal (MSB)
12	GND	Ground Pin
13	G0	Green Data Signal (LSB)
14	G1	Green Data Signal
15	G2	Green Data Signal
16	G3	Green Data Signal
17	G4	Green Data Signal
18	G5	Green Data Signal (MSB)
19	GND	Ground Pin
20	B0	Blue Data Signal (LSB)
21	B1	Blue Data Signal
22	B2	Blue Data Signal
23	B3	Blue Data Signal
24	B4	Blue Data Signal
25	B5	Blue Data Signal
26	GND	Ground Pin
27	DENAB	Data Enable Input
28	VDD	3.3V Power Supply
29	VDD	3.3V Power Supply
30	RL	Horizontal Display Mode
31	UD	Vertical Display Mode
32	NC	No Connection
33	GND	Ground Pin

Power Supply




Absolute Maximum Ratings

PARAMETER	SYMBOL	MIN	MAX	UNIT
SUPPLY VOLTAGE	V _{DD} (AV _{DD})	-0.3	4.3	V
INPUT VOLTAGE	V _{IN}	-0.3	V _{DD} + 0.3	V
OPERATING TEMPERATURE	T _{OP}	-20	+70	°C
STORAGE TEMPERATURE	T _{STG}	-30	+80	°C

HDA570S-F

Dimensional Drawing

5.7" , QVGA (TFT) Color Graphics , CCFL Backlight




HDA570ST-F

Dimensional Drawing

5.7" , QVGA (TFT), With Touch Screen, CCFL Backlight

With TOUCH SCREEN

TOUCH SCREEN connector : KYOCERA-ELCO 046227004100829+



This datasheet has been downloaded from:

www.EEworld.com.cn

Free Download

Daily Updated Database

100% Free Datasheet Search Site

100% Free IC Replacement Search Site

Convenient Electronic Dictionary

Fast Search System

www.EEworld.com.cn