



THE POSSIBILITIES ARE INFINITE

FUJITSU

查询"FA-R-F5KA-881M50-D4DB"供应商

\*Pb Free part

Customer Name	<b>Standard</b>	FUJITSU MEDIA DEVICES LIMITED	
System	GSM850/WCDMA Rx (50/50ohm Unbalance)	DATE	Oct. 01, 2007
FMD Part Number	FAR-F5KA-881M50-D4DB	Version 4.2 g	

Table 1. Electrical specifications

Passband: 869 ~ 894 MHz						
Item	Condition	Specification				Remark
		Min.	Typ.	Max.	Unit	
Insertion Loss	869 - 894 MHz	-	1.7	2.3	dB	
Ripple	869 - 894 MHz	-	0.5	1.2	dB	
Absolute Attenuation	DC - 824 MHz	40	59	-	dB	
	824 - 849 MHz	40	56	-	dB	
	914 - 970 MHz	25	35	-	dB	
	970 - 1049 MHz	38	57	-	dB	
	1049 - 2000 MHz	40	57	-	dB	
	2000 - 3000 MHz	30	45	-	dB	
	3000 - 6000 MHz	10	18	-	dB	
VSWR(Input)	869 - 894 MHz	-	1.7	2.1		
VSWR(Output)	869 - 894 MHz	-	1.7	2.1		
Input Power	824 - 849 MHz	-	-	17	dBm	
Input Impedance		50			Ohm	
Output Impedance		50			Ohm	
Device Size	-	1.4typ.x1.0typ.x0.5max.			°C	
Operating temp.	-	-30 ~ +85			°C	



THE POSSIBILITIES ARE INFINITE




[查询"FAR-F5KA-881M50-D4DB"供应商](#)

\*Pb Free part

Customer Name	Standard	FUJITSU MEDIA DEVICES LIMITED	
System	GSM850/WCDMA Rx (50/50ohm Unbalance)	DATE	Oct. 01, 2007
FMD Part Number	FAR-F5KA-881M50-D4DB	Version 4.2 g	

### Dimension

Device size: 1.4mmtyp. x 1.0mmtyp. x 0.5max.




Unit: mm

### Pin Configuration

Pin No.	Symbol	Function
1	IN	Unbalanced pin
2	GND	Ground
3	GND	Ground
4	OUT	Unbalanced pin
5	GND	Ground

### Evaluation Circuit





THE POSSIBILITIES ARE INFINITE



查询"FA-R-F5KA-881M50-D4DB"供应商

\*Pb Free part

Customer Name	Standard	FUJITSU MEDIA DEVICES LIMITED	
System	GSM850/WCDMA Rx (50/50ohm Unbalance)	DATE	Oct. 01, 2007
FMD Part Number	FAR-F5KA-881M50-D4DB	Version 4.2 g	




Fig.1 Pass-band Characteristics




Fig.2 VSWR

— Input  
— Output



THE POSSIBILITIES ARE INFINITE



查询"FAR-F5KA-881M50-D4DB"供应商

\*Pb Free part

Customer Name	Standard	FUJITSU MEDIA DEVICES LIMITED	
System	GSM850/WCDMA Rx (50/50ohm Unbalance)	DATE	Oct. 01, 2007
FMD Part Number	FAR-F5KA-881M50-D4DB	Version 4.2 g	




Fig.3 In-band Characteristics




Fig.4 Wide-band Characteristics



查询"FAR-F5KA-881M50-D4DB"供应商

\*Pb Free part

Customer Name	Standard	FUJITSU MEDIA DEVICES LIMITED	
System	GSM850/WCDMA Rx (50/50ohm Unbalance)	DATE	Oct. 01, 2007
FMD Part Number	FAR-F5KA-881M50-D4DB	Version 4.2 g	




Fig.5 Input Impedance




Fig.6 Output Impedance

**This datasheet has been downloaded from:**

**[www.EEworld.com.cn](http://www.EEworld.com.cn)**

**Free Download**

**Daily Updated Database**

**100% Free Datasheet Search Site**

**100% Free IC Replacement Search Site**

**Convenient Electronic Dictionary**

**Fast Search System**

**[www.EEworld.com.cn](http://www.EEworld.com.cn)**