

查询"2SB1232P"供应商

No.3261A

SANYO**2SB1232/2SD1842**2SB1232: PNP Epitaxial Planar Silicon Transistor
2SD1842: NPN Triple Diffused Planar Silicon Transistor**100V/40A Switching Applications****Features**

- Large current capacity and wide ASO.
- Low saturation voltage.

Applications

- Motor drivers, relay drivers, converters, and other general high-current switching applications

(): 2SB1232

Absolute Maximum Ratings at $T_a = 25^\circ\text{C}$

			unit
Collector-to-Base Voltage	V_{CB0}	(-)110	V
Collector-to-Emitter Voltage	V_{CE0}	(-)100	V
Emitter-to-Base Voltage	V_{EB0}	(-)6	V
Collector Current	I_C	(-)40	A
Collector Current(Pulse)	I_{CP}	(-)65	A
Base Current	I_B	(-)12	A
Collector Dissipation	P_C	3.0	W
		150	W
Junction Temperature	T_j	150	$^\circ\text{C}$
Storage Temperature	T_{stg}	-55 to +150	$^\circ\text{C}$

 $T_c = 25^\circ\text{C}$ **Electrical Characteristics at $T_a = 25^\circ\text{C}$**


			min	typ	max	unit
Collector Cutoff Current	I_{CBO}	$V_{CB} = (-)100\text{V}, I_E = 0$			(-)0.1	mA
Emitter Cutoff Current	I_{EBO}	$V_{EB} = (-)5\text{V}, I_C = 0$			(-)0.1	mA
DC Current Gain	$h_{FE(1)}$	$V_{CE} = (-)2\text{V}, I_C = (-)4\text{A}$	50*		140*	
	$h_{FE(2)}$	$V_{CE} = (-)2\text{V}, I_C = (-)16\text{A}$	20			
C-E Saturation Voltage	$V_{CE(sat)}$	$I_C = (-)16\text{A}, I_B = (-)1.6\text{A}$			(-)0.8	V
B-E Saturation Voltage	$V_{BE(sat)}$	$I_C = (-)16\text{A}, I_B = (-)1.6\text{A}$			(-)1.5	V
C-B Breakdown Voltage	$V_{(BR)CBO}$	$I_C = (-)1\text{mA}, I_E = 0$	(-)110			V
C-E Breakdown Voltage	$V_{(BR)CEO}$	$I_C = (-)5\text{mA}, R_{BE} = \infty$	(-)100			V
E-B Breakdown Voltage	$V_{(BR)EBO}$	$I_E = (-)1\text{mA}, I_C = 0$	(-)6			V

*: For the $h_{FE(1)}$ of the 2SB1232/2SD1842, specify at least two ranks in principle.

50 P 100	70 Q 140
----------	----------

Package Dimensions 2022A

(unit: mm)



SANYO: TO3PB

SANYO Electric Co., Ltd. Semiconductor Business Headquarters









TOKYO OFFICE Tokyo Bldg., 1-10, 1 Chome, Ueno, Taito-ku, TOKYO, 110 JAPAN

71095TS/7190MH,TA(KOTO) No.3261-1/4

7997076 0019877 OTT

215

查询"2SB1232P"供应商



查询"2SB1232P"供应商

