

440-632

Stainless diagonal cutting - slim nose







- For cutting soft non-ferrous wire, max. as specified,
 No. 25 gauge (.018 in.) and smaller soft steel wire
- Ideal for tip cutting in delicate electronic circuitry work and where small lightweight pliers are required for use by women engaged in electronic component assembly
- Precision-machined, ground flush cutting edges
- · Back clearance
- Offers up to 4 times the life of regular miniature diagonal pliers
- · Patented handle spring

Cat No.	UPC No.	Packed	Description	j← L Inch	<u>→ </u>	/ Inch	A	E	3 mm	C Inch	mm	Max. Dia Soft non- Ferrous Wire Inch	Soft Steel Wire Inch	Shelf Pack
113CG	037103489784	Boxed	Flush Cut	4 ¹ / ₂	114	³ / ₈	9	13/32	12	⁷ /32	6	065	018	6
113CGV	037103489791	Carded	Flush Cut	41/2	114	3/8	9	¹³ /32	12	7/32	6	.065	.018	6
115CG	037103489821	Boxed	Flush Cut	5	127	1/2	13	1/2	3	7/32	6	.083	.018	6
115CGV	037103489838	Carded	Flush Cut	5	127	1/2	- 13	1/2	3	7/32	6	.083	.018	
117CG	037103489999	Boxed	Flush Cut	4	100	⁵ / ₁₆	8	¹⁵ /32	12	⁷ /32	6	051	018	6
117CGV,	037103490001	Carded	Flush Cut	4	100	5/16	* 12 8	¹⁵ /32	12	7/32	6	.051	.018	6

57CG

- · Standard pliers
- · For firm gripping and looping of wire
- · Fine serrated jaw and coil spring
- Forged alloy steel construction, precision machining and scientific proportioning
- Red plastic-coated cushion grip provides maximum leverage





Cat	UPC		← L → ,		A B			C		E		Pack wt		Shelf	
No	No	Packed	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	oz	g	Pack
57CG	037103481641	Boxed	5 ¹¹ / ₁₆	144			¹⁵ /32	12	1/4	6	1/16	15	20 8	590	6
57CGV	037103481658	Carded	5 ¹¹ /16	144	- France	3 1 PM 1 1	15/32	12	1/4	6	1/16	1.5	20.8	590	¹³ 6